

27 816 625 Product version from 9/1/2025



- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:

- rosette Ø 55 mm
- 3/8" shower outlet

Notes:

	Brushed Dark Bronze (PVD)	27 816 625-43
	Chrome	27 816 625-00
	Brushed Platinum	27 816 625-06
	Dark Chrome	27 816 625-19
	Light Gold (PVD)	27 816 625-26
	Brushed Light Gold (PVD)	27 816 625-27
	Brushed Durabronze (23kt Gold)	27 816 625-28
	Matte Black	27 816 625-33
	Brushed Gold (PVD)	27 816 625-37
	Brushed Dark Brass (PVD)	27 816 625-39
	Brushed Bronze (PVD)	27 816 625-42
	Brushed Champagne (22kt Gold)	27 816 625-46
	Champagne (22kt Gold)	27 816 625-47
	Brushed Chrome	27 816 625-93
	Brushed Dark Platinum	27 816 625-99

Recommended miscellaneous



- Concealed wall elbow -**
- min. recess depth 90 mm
 - max. recess depth 163 mm

35 085 970 90


Recommended miscellaneous



- Wall elbow - Brushed Dark Bronze (PVD)**


28 450 625-43

27 816 625 Product version from 9/1/2025



Flow rate chart





Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
7	90 14 10 032 00 90	O-Ring 18,1 x 1,6 mm -	1.00	14
8	90 18 40 035 00 90	Sleeve -	1.00	14
5	90 30 30 516 00 90	Attachment set -	1.00	14
3	09 23 01 039 90	Sieve seal Ø 19 x 5,5 mm -	1.00	14
4	90 30 02 072 00-43	Metal shower hose 1/2" x 3/8" x 1250 mm - Brushed Dark Bronze (PVD)	1.00	40
1	09 21 02 170-43	Cap for rinsing spray Ø 26,6 x 5 mm - Brushed Dark Bronze (PVD)	1.00	82
2	90 12 11 140 40-43	shower	1.00	82
6	90 28 05 062 50-43	holder	1.00	-

Spare part can no longer be ordered, please order the replacement item