
Product Environmental Profile

Rotary dimmer

Representative of all dimmers, fan speed regulators (with or without frames), and the range accessories.







General information

Reference product	Rotary dimmer - WDE002306+WDE002101
Description of the product	The main function of this product is to control and dim the various types of lamps.
Description of the range	The environmental impacts of this reference product are representative of the impacts of the other products of the range which are developed with a similar technology. The products of the range are: All dimmers, fan speed regulators (with or without frames), and the range accessories.
Functional unit	To switch ON & OFF and to adjust the brightness of the light by reducing or increasing the RMS voltage operating at the rated voltage Ue (230V) and rated current In (10A), for the reference service life of the product of 10 years.
Specifications are:	Products specifications in accordance with product standard IEC 60669-2-1: In: 10 A Ue: 230 V Use rate: 30% / Load rate: 10% / Dimming level: 50% Electricity type and frequency: AC 50-60 Hz Degrees of protection IP and IK: IP20; IK02 according IEC 60529 RLT (reference life time): 10 years

Constituent materials

including the product, its packaging, additional elements and accessories Reference product mass 127 g Steel - 26,1% PA Polyamide - 13,6%_ Aluminium - 2,4% Brass - 2,3% Stainless steel - 0,4% Cardboard - 10,8% ABS Acrylonitrile Butadiene Styrene - 29,1% Paper - 5,6% Electronic components - 9,7% **Plastics** 42,7% 31,2% Metals

Others 26,1%

Substance assessment

Details of ROHS and REACH substances information are available on the Schneider-Electric website https://www.se.com

(1) Additional environmental information

End Of Life

Recyclability potential:

Mandatory Indicators

37%

The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).

Rotary dimmer - WDE002306+WDE002101

Environmental impacts

Reference service life time	10 years									
Product category	Other equipments - Active product									
Life cycle of the product	The manufacturing, the distribution, the installation	The manufacturing, the distribution, the installation, the use and the end of life were taken into consideration in this study								
Electricity consumtion	The electricity consumed during manufacturing processes is considered for each part of the product individually, the final assembly generates a negligable consumption									
Installation elements	No special components needed									
Use scenario	The product is in active mode 30% of the time with a power use of 0.39 W and in OFF mode 70% of the time with a power use of 0 W for RLT (reference life time) 10 years.									
Time representativeness	The collected data are representative of the year 2023									
Technological representativeness	The Modules of Technologies such as material production, manufacturing processes and transport technology used in the PEP analysis (LCA EIME in the case) are Similar and Representative of the actual type of technologies used to make the product.									
Final assembly site	Riga, LT									
Geographical representativeness	Europe									
Energy model used	[A1 - A3] Electricity Mix; Low voltage; 2020; Lithuania, LT	[A5] Electricity Mix; Low voltage; 2020; Europe, EU-27	[B6] Electricity Mix; Low voltage; 2020; Europe, EU-27	[C1 - C4] Electricity Mix; Low voltage; 2020; Europe, EU-27						

Detailed results of the optional indicators mentioned in PCRed4 are available in the LCA report and on demand in a digital format - Country Customer Care Center - http://www.se.com/contact

Impact indicators	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads
Contribution to climate change	kg CO2 eq	5,95E+00	1,57E+00	2,80E-02	2,24E-02	4,04E+00	2,85E-01	-1,81E-01
Contribution to climate change-fossil	kg CO2 eq	5,97E+00	1,60E+00	2,80E-02	2,14E-02	4,03E+00	2,85E-01	-2,01E-01
Contribution to climate change-biogenic	kg CO2 eq	-2,35E-02	-3,20E-02	0*	0*	0*	0*	1,95E-02
Contribution to climate change-land use and land use change	kg CO2 eq	3,48E-08	3,48E-08	0*	0*	0*	0*	0,00E+00
Contribution to ozone depletion	kg CFC-11 eq	1,64E-07	1,44E-07	4,30E-11	2,91E-10	1,96E-08	2,74E-10	-2,94E-08
Contribution to acidification	mol H+ eq	3,20E-02	1,05E-02	1,78E-04	6,58E-05	2,07E-02	5,18E-04	-1,20E-03
Contribution to eutrophication, freshwater	kg (PO4)³- eq	2,68E-05	1,52E-05	1,05E-08	5,15E-07	1,06E-05	3,91E-07	-6,87E-07
Contribution to eutrophication marine	kg N eq	4,06E-03	1,28E-03	8,32E-05	2,86E-05	2,52E-03	1,42E-04	-1,34E-04
Contribution to eutrophication, terrestrial	mol N eq	5,68E-02	1,36E-02	9,13E-04	1,99E-04	4,05E-02	1,57E-03	-1,44E-03
Contribution to photochemical ozone formation - human health	kg COVNM eq	1,32E-02	4,50E-03	2,30E-04	4,56E-05	7,93E-03	4,62E-04	-4,80E-04
Contribution to resource use, minerals and metals	kg Sb eq	9,70E-04	9,68E-04	0*	0*	1,43E-06	0*	-4,29E-05
Contribution to resource use, fossils	MJ	1,45E+02	3,47E+01	3,91E-01	2,23E-01	1,02E+02	7,99E+00	-3,98E+00
Contribution to water use	m3 eq	2,53E+00	2,17E+00	0*	1,73E-03	3,09E-01	5,26E-02	-7,36E-02
Inventory flows Indicators				Rotary dimme	r - WDE002306+	WDE002101		
Inventory flows	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	2,76E+01	5,86E-01	0*	2,92E-02	2,70E+01	0*	9,56E-03
Contribution to use of renewable primary energy resources used as raw material	MJ	5,19E-01	5,19E-01	0*	0*	0*	0*	-2,69E-01
Contribution to total use of renewable primary energy resources	MJ	2,81E+01	1,11E+00	0*	2,92E-02	2,70E+01	0*	-2,59E-01
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	1,43E+02	3,24E+01	3,91E-01	2,23E-01	1,02E+02	7,99E+00	-3,98E+00
Contribution to use of non renewable primary energy resources used as raw material	MJ	2,29E+00	2,29E+00	0*	0*	0*	0*	0,00E+00
Contribution to total use of non-renewable primary energy resources	MJ	1,45E+02	3,47E+01	3,91E-01	2,23E-01	1,02E+02	7,99E+00	-3,98E+00
Contribution to use of secondary material	kg	1,74E-03	1,74E-03	0*	0*	0*	0*	0,00E+00
Contribution to use of renewable secondary fuels	MJ	0,00E+00	0*	0*	0*	0*	0*	0,00E+00
Contribution to use of non renewable secondary fuels	MJ	0,00E+00	0*	0*	0*	0*	0*	0,00E+00
Contribution to net use of freshwater	m³	5,90E-02	5,04E-02	0* 0*	4,04E-05 0*	7,27E-03	1,23E-03	-1,71E-03
Contribution to hazardous waste disposed	kg	1,86E+01	1,84E+01	~		1,77E-01	1,23E-02	-3,38E+00
Contribution to non hazardous waste disposed Contribution to radioactive waste disposed	kg	1,32E+00 4,93E-04	5,62E-01 3,32E-04	9,84E-04 7,01E-07	9,62E-03 1,19E-06	6,82E-01 1,56E-04	6,14E-02 2,48E-06	-1,94E-01 -1,13E-04
Contribution to radioactive waste disposed Contribution to components for reuse	kg kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to materials for recycling	kg	4,57E-02	6.31E-03	0*	0*	0*	3.94E-02	0,00E+00
Contribution to materials for energy recovery	kg	0,00E+00	0*	0*	0*	0*	0*	0,00E+00
Contribution to exported energy	MJ	1,36E-03	5,51E-05	0*	9,18E-04	0*	3,90E-04	0,00E+00
* represents less than 0.01% of the total life cycle of the refere	nce flow							

Contribution to biogenic carbon content of the product \$kg\$ of C $$0.00E{+}00$$ Contribution to biogenic carbon content of the associated packaging \$kg\$ of C $$6.59E{-}03$$

^{*} The calculation of the biogenic carbon is based on the Ademe for the Cardboard (28%), EN16485 for Wood (39,52%), and APESA/RECORD for Paper (37,8%)

Mandatory Indicators			Rota	ry dimme	r - WDE	002306+V	/DE002101		
Impact indicators	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]
Contribution to climate change	kg CO2 eq	4,04E+00	0*	0*	0*	0*	0*	4,04E+00	0*
Contribution to climate change-fossil	kg CO2 eq	4,03E+00	0*	0*	0*	0*	0*	4,03E+00	0*
Contribution to climate change-biogenic	kg CO2 eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to climate change-land use and land use change	kg CO2 eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to ozone depletion	kg CFC-11 eq	1,96E-08	0*	0*	0*	0*	0*	1,96E-08	0*
Contribution to acidification	mol H+ eq	2,07E-02	0*	0*	0*	0*	0*	2,07E-02	0*
Contribution to eutrophication, freshwater	kg (PO4)³¯ eq	1,06E-05	0*	0*	0*	0*	0*	1,06E-05	0*
Contribution to eutrophication marine	kg N eq	2,52E-03	0*	0*	0*	0*	0*	2,52E-03	0*
Contribution to eutrophication, terrestrial	mol N eq	4,05E-02	0*	0*	0*	0*	0*	4,05E-02	0*
Contribution to photochemical ozone formation - human health	kg COVNM eq	7,93E-03	0*	0*	0*	0*	0*	7,93E-03	0*
Contribution to resource use, minerals and metals	kg Sb eq	1,43E-06	0*	0*	0*	0*	0*	1,43E-06	0*
Contribution to resource use, fossils	MJ	1,02E+02	0*	0*	0*	0*	0*	1,02E+02	0*
Contribution to water use	m3 eq	3,09E-01	0*	0*	0*	0*	0*	3,09E-01	0*

Inventory flows Indicators				Rota	ry dimmer	- WDE	02306+V	/DE002101		
Inventory flows	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]	
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	2,70E+01	0*	0*	0*	0*	0*	2,70E+01	0*	
Contribution to use of renewable primary energy resources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to total use of renewable primary energy resources	MJ	2,70E+01	0*	0*	0*	0*	0*	2,70E+01	0*	
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	1,02E+02	0*	0*	0*	0*	0*	1,02E+02	0*	
Contribution to use of non renewable primary energy resources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to total use of non-renewable primary energy resources	MJ	1,02E+02	0*	0*	0*	0*	0*	1,02E+02	0*	
Contribution to use of secondary material	kg	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to use of renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to use of non renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to net use of freshwater	m³	7,27E-03	0*	0*	0*	0*	0*	7,27E-03	0*	
Contribution to hazardous waste disposed	kg	1,77E-01	0*	0*	0*	0*	0*	1,77E-01	0*	
Contribution to non hazardous waste disposed	kg	6,82E-01	0*	0*	0*	0*	0*	6,82E-01	0*	
Contribution to radioactive waste disposed	kg	1,56E-04	0*	0*	0*	0*	0*	1,56E-04	0*	
Contribution to components for reuse	kg	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to materials for recycling	kg	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to materials for energy recovery	kg	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to exported energy	MJ	0*	0*	0*	0*	0*	0*	0*	0*	

 $^{^{\}star}$ represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version v6.2.2, database version 2024-01 in compliance with ISO14044, EF3.1 method is applied, for biogenic carbon storage, assessment methodology -1/1 is used

According to this environmental analysis, proportionality rules may be used to evaluate the impacts of other products of this range, ratios to apply can be provided upon request

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

Registration number :	SCHN-01292-V01.01-EN	Drafting rules	PCR-4-ed4-EN-2021 09 06					
		Supplemented by	PSR-0005-ed3.1-EN-2023 12 08					
Verifier accreditation N°	VH48	Information and reference documents	www.pep-ecopassport.org					
Date of issue 10-2024 Validity period 5 years								
Independent verification of the declaration and data, in compliance with ISO 14025: 2006								

independent verification of the declaration and data, in compilance with 130-14025 . 2000

Internal External X

The PCR review was conducted by a panel of experts chaired by Julie Orgelet (DDemain)

PEPs are compliant with XP C08-100-1:2016 and EN 50693:2019 or NF E38-500 :2022

The components of the present PEP may not be compared with components from any other program.

Document complies with ISO 14025:2006 "Environmental labels and declarations. Type III environmental declarations"



Schneider Electric Industries SAS

Country Customer Care Center http://www.se.com/contact

35, rue Joseph Monier CS 30323

F- 92500 Rueil Malmaison Cedex

RCS Nanterre 954 503 439 Capital social 928 298 512 €

www.se.com

Published by Schneider Electric

©2024 - Schneider Electric – All rights reserved

SCHN-01292-V01.01-EN

10-2024