

xTOOL Concealed thermostat without volume control 3/4" - Brushed Platinum **SERIES SPECIFIC**

36 503 780 Product version up to 12/31/2021



- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- WRAS

| | | |
|---|-------------------------------|---------------|
|  | Brushed Platinum | 36 503 780-06 |
|  | Chrome | 36 503 780-00 |
|  | Platinum | 36 503 780-08 |
|  | Dark Chrome | 36 503 780-19 |
|  | Brushed Light Gold (PVD) | 36 503 780-27 |
|  | Brushed Durabrass (23kt Gold) | 36 503 780-28 |
|  | Matte Black | 36 503 780-33 |
|  | Brushed Dark Brass (PVD) | 36 503 780-39 |
|  | Brushed Bronze (PVD) | 36 503 780-42 |
|  | Brushed Dark Bronze (PVD) | 36 503 780-43 |
|  | Brushed Champagne (22kt Gold) | 36 503 780-46 |
|  | Champagne (22kt Gold) | 36 503 780-47 |
|  | Brushed Chrome | 36 503 780-93 |
|  | Brushed Dark Platinum | 36 503 780-99 |

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction - 12 340 970 90

Required miscellaneous



xGRID Installation track 555 mm - 12 360 970 90

Required miscellaneous




xTOOL Concealed thermostat module without volume control - 35 503 970 90


- min. recess depth 115 mm
- max. recess depth 155 mm

36 503 780 Product version up to 12/31/2021

mm [inches]



Flow rate chart



Codes & Standards

| | | | |
|-----------------------------|-----------|----------|------------------------|
| DIN 4109 | EN 1111 | ISO 3822 | Scottish Water Byelaws |
| UK Water Supply Regulations | Ü-Zeichen | | |




xTOOL Concealed thermostat without volume control 3/4" - Brushed Platinum SERIES SPECIFIC

36 503 780 Product version up to 12/31/2021

Certificates and sustainability

| | | | | |
|-----------|-----------------|--------|--------|--------|
| WRAS_2011 | DVGW_DW-6512DN0 | LGA_29 | LGA_29 | LGA_29 |
|-----------|-----------------|--------|--------|--------|

EPD-DOR-20230287
-IBA1-EN
Environmental.prod
uct-declarat



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|--|--------------------|--|---------------|---------------|
| 9 | 90 31 20 049 00-13 | Plug - black | 1.00 | 40 |
| 2 | 09 11 02 196-06 | xTOOL Rosette 120 x 120 x 8,5 mm - Brushed Platinum | 1.00 | - |
| Spare part can no longer be ordered, please order the replacement item | | | | |
| | 091102533-06 | Cover for xTOOL - Brushed Platinum | | |
| 10 | 12 178 970 90 | Extension 46 mm - | 1.00 | 14 |
| 8 | 90 30 30 136 00 90 | Bolt - | 1.00 | 14 |
| 6 | 90 21 33 011 00-13 | Repair kit for thermostat handle - black | 1.00 | 14 |
| 4 | 90 21 02 112 00-06 | Sleeve - Brushed Platinum | 1.00 | 20 |
| 1 | 90 15 02 063 00 90 | Thermostat cartridge with control unit Ø 44 x 147 mm - | 1.00 | 14 |
| 7 | 90 16 02 027 00 90 | Spring Ø 4,5 x 7,5 mm - | 1.00 | 14 |
| 5 | 90 17 33 004 00-06 | Handle for thermostat Ø 46 x 48 mm - Brushed Platinum | 1.00 | - |
| Spare part can no longer be ordered, please order the replacement item | | | | |
| | 90173302000-06 | Handle for thermostat Ø 46 x 48 mm - Brushed Platinum | | |
| 3 | 90 14 10 049 00 90 | O-Ring 45,69 x 2,62 mm - | 1.00 | 14 |