

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Plugs for industrial purpose

Name and address of the applicant

LEGRAND FRANCE SA
6, RUE PAUL NOUEL
76770 MALAUNAY
France

Name and address of the manufacturer

LEGRAND FRANCE SA
6, RUE PAUL NOUEL
76770 MALAUNAY
France

Name and address of the factory

*Note: When more than one factory, please report on page 2*Legrand Elektrik Sanayi A.Ş.
GOSB Gebze Organize Sanayi Bolgesi, Ihsan Dede Caddesi No. 112, 41480
Gebze KOCAELI
Türkiye☒ Additional information on page 2

Ratings and principal characteristics

200/250 V, 380/415 V and 480/500 V – 16A – IP44 and IP66 - (see also Additional Sheet)

Trademark / Brand (if any)



legrand

Customer's Testing Facility (CTF) Stage used

CTF Stage 3

Model / Type Ref.

P17 Tempra Pro series - for description see Additional Sheet

Additional information (if necessary may also be reported on page 2)

☐ Additional information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60309-1:2021, IEC 60309-2:2021

As shown in the Test Report Ref. No. which forms part of this Certificate

MI25-0118219-00; MI25-0118219-03; MI25-0118219-03/1

This CB Test Certificate is issued by the National Certification Body

IMQ S.p.A.
Via Quintiliano 43
Milano, 20138
Italy

Date: 2026-01-22

Signature: Flavio Cimardi

Additional factory

NOVATEUR ELECTRICAL & DIGITAL SYSTEMS PVT. LTD
A-2, SINNAR MALEGAON MIDC, NASHIK PUNE ROAD 422113 NASHIK
India

This CB Test Certificate is issued by the National Certification Body

IMQ S.p.A.
Via Quintiliano 43
Milano, 20138
Italy



Date: 2026-01-22

Signature: Flavio Cimardi

Definition of P17 Tempra Pro range:

STRAIGHT PLUG					TYPE REFERENCE ⁽¹⁾	
Current	Number of poles	Voltage	Frequency	Earthing position	IP44	IP66
16A	2P+E	100/130 V	50 / 60 Hz	4	5 551 21	5 553 21
		200/250 V	50 / 60 Hz	6	5 551 24	5 553 24
		380/415 V	50 / 60 Hz	9	5 551 27	-
	3P+E	100/130 V	50 / 60 Hz	4	5 551 22	-
		200/250 V	50 / 60 Hz	9	5 551 25	5 553 25
		380/415 V	50 / 60 Hz	6	5 551 28	5 553 28
		440/460 V	60 Hz	11	5 551 30	-
		480/500 V	50 / 60 Hz	7	5 551 32	5 553 32
	3P+N+E	120/208 V to 144/250 V	50 / 60 Hz	9	5 551 26	5 553 26
		200/346 V to 240/415 V	50 / 60 Hz	6	5 551 29	5 553 29
		277/480V to 288/500 V	50 / 60 Hz	7	5 551 33	-
32A	2P+E	100/130 V	50 / 60 Hz	4	5 552 31	5 554 31
		200/250 V	50 / 60 Hz	6	5 552 34	5 554 34
		380/415 V	50 / 60 Hz	9	5 552 37	-
	3P+E	200/250 V	50 / 60 Hz	9	5 552 35	5 554 35
		380/415 V	50 / 60 Hz	6	5 552 38	5 554 38
		440/460 V	60 Hz	11	5 552 40	-
		440 V	60 Hz	3	-	5 554 41
		480/500 V	50 / 60 Hz	7	5 552 42	5 554 42
	3P+N+E	120/208 V to 144/250 V	50 / 60 Hz	9	5 552 36	5 554 36
		200/346 V to 240/415 V	50 / 60 Hz	6	5 552 39	5 554 39
		277/480 V to 288/500 V	50 / 60 Hz	7	5 552 43	5 554 43

⁽¹⁾ Type references may be completed with the letter "A" for products manufactured in India.