

36 515 979 Product version from 4/1/2024



- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
- Function from: 4.5 l/min
- with anti-scale system

Technical data:

- cover plate 120 x 120 mm
- 1/2" connection

Notes:

- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- **Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm**

Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm

	Matte Black	36 515 979-33
	Chrome	36 515 979-00
	Brushed Platinum	36 515 979-06
	Platinum	36 515 979-08
	Dark Chrome	36 515 979-19
	Light Gold (PVD)	36 515 979-26
	Brushed Light Gold (PVD)	36 515 979-27
	Brushed Durabronze (23kt Gold)	36 515 979-28
	Brushed Gold (PVD)	36 515 979-37
	Brushed Dark Brass (PVD)	36 515 979-39
	Brushed Bronze (PVD)	36 515 979-42
	Brushed Dark Bronze (PVD)	36 515 979-43
	Brushed Champagne (22kt Gold)	36 515 979-46
	Champagne (22kt Gold)	36 515 979-47
	Brushed Chrome	36 515 979-93
	Brushed Dark Platinum	36 515 979-99

Required miscellaneous



- Concealed wall installation box - 35 205 970 90**
- min. recess depth 85 mm
 - max. recess depth 110 mm

Recommended miscellaneous



- xGRID Attachment set for integrating in the dry wall construction - 12 340 970 90**


Required miscellaneous




- xGRID Installation track 555 mm - 12 360 970 90**

36 515 979 Product version from 4/1/2024


mm [inches]



Flow rate chart



Trajectory diagram



Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	ISO 3822
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	



WATER POINTS Concealed body spray - Matte Black

SERIES-VARIOUS


36 515 979 Product version from 4/1/2024

Certificates and sustainability

LGA_18

WRAS_1304

IAPMO_4976 (



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	12 09 29 30 043 90	Filter Body spray -	1.00	14
	8 09 14 10 130 90	O-Ring EPDM 70 14,0 x 2,00 mm -	1.00	14
	2 09 30 31 022 90	Mounting 4,8 x 16 mm -	4.00	14
	1 09 28 01 024 90	Mounting 107,7 x 107,7 x 6,2 mm -	1.00	14
	13 09 12 01 075 90	Insert Spray pad -	1.00	14
	3 09 30 30 031 90	Mounting Cylinder head screw with hexagon socket M4 x 6 mm -	8.00	14
	14 09 14 03 117 90	Washer Ø 2,5 x 432 mm -	1.00	14
	4 09 30 11 024 90	Washer Ø 4,3 -	8.00	14
	9 09 16 01 017 90	Ring Retaining ring Ø 17 x 1 mm -	1.00	14
	15 09 27 98 004-33	Rosette 120 x 120 x 10 mm - Matte Black	1.00	40
	11 09 17 97 057 90	Holder Spray pad 65,5 x 65,5 x 5,5 mm -	1.00	14
	7 90 23 01 032 00 90	Flow limiter Set Ø 95 x 35 mm, 6 l/min. -	1.00	14
	5 09 12 12 205 90	Retainer 85 x 85 x 18 mm -	1.00	14
	10 09 17 11 146 90	Connection -	1.00	-
Spare part can no longer be ordered, please order the replacement item				
	0917111462090	Spray -		
	6 09 16 01 016 90	Ring Retaining ring Ø 10 x 1 mm -	1.00	14
	16 09 31 11 048 90	Mounting Threaded pin with hexagon socket with point M4 x 8 mm -	1.00	14
	17 09 23 01 052 90	Flow limiter yellow 8,3 l/min. -	1.00	14