


WMB marking card; as card; MARKED; 61 ... 70 (10x); not stretchable; Horizontal marking; snap-on type; blue



Similar to illustration

|                             |                                    |
|-----------------------------|------------------------------------|
| Marking method              | Thermal transfer                   |
| Marking                     | 61 ... 70                          |
| Marking (number)            | 10                                 |
| Marking direction           | Horizontal marking                 |
| Marking color               | black                              |
| Marking type                | Numbers                            |
| Marking layout              | Consecutive numbers per strip      |
| Delivery form               | Marker card                        |
| Delivery form configuration | 10 strips with 10 markers per card |
| Flammability class per UL94 | V2                                 |

|                    |      |
|--------------------|------|
| Marker/strip width | 5 mm |
| Marker width       | 5 mm |

|                  |                 |
|------------------|-----------------|
| Smear resistance | EN 60998-1:2004 |
|------------------|-----------------|



| Material data |                               |
|---------------|-------------------------------|
| Color         | blue                          |
| UV resistance | EN 60068-2-5:2010 Procedure B |
| Halogen-free  | Yes                           |
| Weight        | 9 g                           |
| Fire load     | 0.27 MJ                       |

| Commercial data       |               |
|-----------------------|---------------|
| PU (SPU)              | 50 (5) pcs    |
| Packaging type        | Box           |
| Country of origin     | DE            |
| GTIN                  | 4045454000516 |
| Customs tariff number | 49119900000   |

| Product Classification |                      |
|------------------------|----------------------|
| UNSPSC                 | 55121731             |
| eCl@ss 10.0            | 27-14-11-37          |
| eCl@ss 9.0             | 27-14-11-37          |
| ETIM 9.0               | EC000761             |
| ETIM 10.0              | EC000761             |
| ECCN                   | NO US CLASSIFICATION |

| Environmental Product Compliance |                         |
|----------------------------------|-------------------------|
| RoHS Compliance Status           | Compliant, No Exemption |

Downloads

Environmental Product Compliance

| Compliance Search                                   |  |
|-----------------------------------------------------|--|
| Environmental Product Compliance<br>793-570/000-006 |  |

Installation Notes

Application




Separating a strip from the WMB or WMB marker card.



Stretching a WMB marker strip.



Separating an individual marker from the WMB marker strip – for larger terminal blocks.



Snapping a marking strip into the marker slot.

Marking



Snapping a WMB marker strip into the marker slot of the double marker carrier.



Snapping a marking strip into the marker slot.