

# ToLEDo GLS V3 1521LM 840 E27 SL

Item No: 0026652


**SYLVANIA**



Compact and elegant design Suitable replacement for halogen, incandescent and compact fluorescent ball lamps  
Instant light at the flick of a switch Uniform light distribution Good colour rendering (CRI 80) Perfect for hotels,  
restaurants, lobbies, corridors, stairwells, reception areas Lower maintenance costs 15,000 hours average rated life

## Technical Assets

### Dimensions (mm)



### Photometrics

# ToLEDo GLS V3 1521LM 840 E27 SL

Item No: 0026652

**SYLVANIA**

## General data

Product name	ToLEDo GLS V3 1521LM 840 E27 SL
Technology	LED
Watt (Rated) (W)	15
Lamp shape	Pear-shape
Cap/Base	E27
Lamp finish	Frosted/Coated
General application	Hospitality, Residential & Consumer
ETIM Class	EC001959
E-number FI	4740482

## Optical data

Luminous flux (lm)	1521
Luminous flux (Rated) (lm)	1521
Correlated colour temperature (k)	4000
Light colour	Cool White
Colour Code	840
CRI (Ra)	80
Colour Consistency (SDCM)	6
Adjustable chromaticity	N
Lumen maintenance at end of nominal life (%)	70

## Electrical data

Power consumption (W)	15
Wattage (W)	15
Equivalent watt (W)	100
Starting time (max) (s)	0.05
Warm-up time to 60% of full light (max) (s)	< 1s => 60%
Primary Supply/Product voltage - min (V)	220
Primary Supply/Product voltage - max (V)	240
Lamp power factor	0.5
Control gear required	No
No. Of switching cycles before premature failures	>50000
Dimming method	N/A
Drive current (mA)	120

## Lifetime data

Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000

## Physical data

Max. Lamp Diameter (mm) - D	66
Weight (kg)	0.103

# ToLEDo GLS V3 1521LM 840 E27 SL

Item No: 0026652



## Packaging

Product EAN number	5410288266527
Packaging single length / height (cm)	14.6
Packaging single width (cm)	7.0
Packaging single depth (cm)	7.0
DUN14 (inner)	15410288266524
Units per inner package	6
Packaging inner length / height (cm)	22.7
Packaging inner width (cm)	15.4
Packaging inner depth (cm)	17.3
DUN14 (outer)	25410288266521
Units per outer package	60
Packaging outer length / height (cm)	81.0
Packaging outer width (cm)	24.2
Packaging outer depth (cm)	38.4

## Safety data

Breakage cleaning instructions	Not applicable
Recommendation for disposal at end of life	Not applicable
Special purpose lamp	No
Dry applications use only	Yes
Suitable for household illumination	Yes
Suitable for accent lighting	Yes