




Features

- Compact and elegant design Suitable replacement for halogen, incandescent and compact fluorescent ball lamps Instant light at the flick of a switch Uniform light distribution Good colour rendering (CRI 80) Perfect for hotels, restaurants, lobbies, corridors, stairwells, reception areas Lower maintenance costs 15,000 hours average rated life

Product Overview

Product name	ToLEDo GLS V3 1521LM 840 E27 SL
Technology	LED
Watt (Rated) (W)	15
Lamp shape	Pear-shape
Cap/Base	E27
Lamp finish	Frosted/Coated
General application	Hospitality, Residential & Consumer
ETIM Class	EC001959
E-number FI	4740482
Luminous flux (lm)	1521
Correlated colour temperature (k)	4000
CRI (Ra)	80
Colour Consistency (SDCM)	6
Wattage (W)	15
Power consumption (W)	15
Average life (Nominal) (h)	15000
Product EAN number	5410288266527
Dimming method	N/A
Colour Code	840

Technical drawings



Data table

GENERAL DATA

Product name	ToLEDo GLS V3 1521LM 840 E27 SL
Technology	LED
Watt (Rated) (W)	15
Lamp shape	Pear-shape
Cap/Base	E27
Lamp finish	Frosted/Coated
General application	Hospitality, Residential & Consumer
ETIM Class	EC001959
E-number FI	4740482

OPTICAL DATA

Luminous flux (lm)	1521
Luminous flux (Rated) (lm)	1521
Correlated colour temperature (k)	4000
Colour Code	840
CRI (Ra)	80

ToLEDo GLS V3 1521LM 840 E27 SL 0026652

Colour Consistency (SDCM)	6
Adjustable chromaticity	N
Lumen maintenance at end of nominal life (%)	70

ELECTRICAL DATA

Power consumption (W)	15
Wattage (W)	15
Equivalent watt (W)	100
Starting time (max) (s)	0.05
Primary Supply/Product voltage - min (V)	220
Lamp power factor	0.5
Control gear required	No
Dimming method	N/A
Drive current (mA)	120

LIFETIME DATA

Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000

PHYSICAL DATA

Max. Lamp Diameter (mm) - D	66
Weight (kg)	0.103

PACKAGING

Product EAN number	5410288266527
Packaging single width (cm)	7.0
Packaging single depth (cm)	7.0
DUN14 (inner)	15410288266524
Units per inner package	6
Packaging inner length / height (cm)	22.7
Packaging inner width (cm)	15.4
Packaging inner depth (cm)	17.3

ToLEDo GLS V3 1521LM 840 E27 SL
0026652

DUN14 (outer)	25410288266521
----------------------	----------------

Packaging outer length / height (cm)	81.0
---	------

SAFETY DATA

Breakage cleaning instructions	Not applicable
---------------------------------------	----------------

Recommendation for disposal at end of life	Not applicable
---	----------------

Special purpose lamp	No
-----------------------------	----

Dry applications use only	Yes
----------------------------------	-----

Suitable for household illumination	No
--	----

Suitable for accent lighting	Yes
-------------------------------------	-----