


SYLSMART QBM DALI EI-T CONV SSA 9041512

Features

- Convert Bluetooth control to DALI. The SylSmart QBM EL-T Converter allows you to incorporate DALI controlled Emergency Luminaires into your SylSmart Connected lighting system (max recommended devices 8)



Product Overview

| | |
|---------------------|---|
| Product name | SYLSMART QBM DALI EI-T CONV SSA |
| Technology | Accessory |
| General application | Education, Hospitality, Logistics & Industry, Museums & Galleries, Office |
| ETIM Class | EC002005 |
| Product EAN number | 4062172282499 |
| Warranty | 5 years |

Technical drawings



Data table

GENERAL DATA

| | |
|---------------------|---|
| Product name | SYLSMART QBM DALI EI-T CONV SSA |
| Technology | Accessory |
| General application | Education, Hospitality, Logistics & Industry, Museums & Galleries, Office |
| ETIM Class | EC002005 |
| Warranty | 5 years |

ELECTRICAL DATA

| | |
|-----------------------|----|
| Control gear required | No |
|-----------------------|----|

PHYSICAL DATA

| | |
|-----------------------------|-------|
| Nominal Product Length (mm) | 108 |
| Nominal Product Width (mm) | 30 |
| Nominal Product Height (mm) | 21 |
| Weight (kg) | 0.044 |

PACKAGING

| | |
|---------------------------------------|----------------|
| Single packaging type | Carton |
| Product EAN number | 4062172282499 |
| Packaging single length / height (cm) | 10.8 |
| Packaging single width (cm) | 3.0 |
| Packaging single depth (cm) | 2.1 |
| DUN14 (outer) | 14062172282496 |
| Units per outer package | 25 |
| Packaging outer length / height (cm) | 16.0 |
| Packaging outer width (cm) | 12.0 |
| Packaging outer depth (cm) | 11.7 |

SAFETY DATA

| | |
|-------------------------------------|----|
| Special purpose lamp | No |
| Dry applications use only | No |
| Suitable for household illumination | No |