




Color: ■ yellow

Similar to illustration

| Technical data              |                                    |
|-----------------------------|------------------------------------|
| Marking method              | Thermal transfer                   |
| Marking                     | 21 ... 30                          |
| Marking (number)            | 10                                 |
| Marking direction           | Vertical marking                   |
| Marking color               | black                              |
| Marking type                | Numbers                            |
| Marking layout              | Consecutive numbers per strip      |
| Delivery form               | Marker card                        |
| Delivery form configuration | 10 strips with 10 markers per card |
| Flammability class per UL94 | V2                                 |

| Physical data      |              |
|--------------------|--------------|
| Marker/strip width | 4 ... 4.2 mm |
| Marker width       | 4 mm         |

| Mechanical data  |                 |
|------------------|-----------------|
| Smear resistance | EN 60998-1:2004 |



| Material data |                               |
|---------------|-------------------------------|
| Color         | yellow                        |
| UV resistance | EN 60068-2-5:2010 Procedure B |
| Halogen-free  | Yes                           |
| Weight        | 7.3 g                         |
| Fire load     | 0.219 MJ                      |

| Commercial data       |               |
|-----------------------|---------------|
| PU (SPU)              | 50 (5) pcs    |
| Packaging type        | Box           |
| Country of origin     | DE            |
| GTIN                  | 4045454332563 |
| Customs tariff number | 49119900000   |

| Product Classification |  |                      |
|------------------------|--|----------------------|
| UNSPSC                 |  | 55121731             |
| eCl@ss 10.0            |  | 27-14-11-37          |
| eCl@ss 9.0             |  | 27-14-11-37          |
| ETIM 9.0               |  | EC000761             |
| ETIM 8.0               |  | EC000761             |
| ECCN                   |  | NO US CLASSIFICATION |

| Environmental Product Compliance |                         |
|----------------------------------|-------------------------|
| RoHS Compliance Status           | Compliant, No Exemption |


Downloads

Environmental Product Compliance

| Compliance Search                                    |  |
|------------------------------------------------------|--|
| Environmental Product Compliance<br>793-4604/000-002 |  |

Installation Notes

Application



|                                                     |                                |                                                                                         |                                                |
|-----------------------------------------------------|--------------------------------|-----------------------------------------------------------------------------------------|------------------------------------------------|
| Separating a strip from the WMB or WMB marker card. | Stretching a WMB marker strip. | Separating an individual marker from the WMB marker strip – for larger terminal blocks. | Snapping a marking strip into the marker slot. |
|-----------------------------------------------------|--------------------------------|-----------------------------------------------------------------------------------------|------------------------------------------------|

Marking



Snapping a WMB marker strip into the marker slot of the double marker carrier.



Snapping a marking strip into the marker slot.