



Product certificate K95243/04

Issued 2024-12-15

Replaces K95243/03

Page 1 of 3

Electronic tapware

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

Ideal Standard International NV

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline

BRL-K14018:2018 "Sanitary tapware - electronic (mixing) taps"

which covers the requirements of

15091:2024 "Sanitary tapware - Electronic opening and closing sanitary tapware"

Ron Scheepers
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

Kiwa Nederland B.V.

Sir Winston Churchilllaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
NL.Kiwa.info@Kiwa.com
www.kiwa.com

Company

Ideal Standard International NV
Corporate Village - Gent Building
Da Vincilaan 2
B-1935 ZAVENTEM
Belgium
Tel. +32 2 325 6600
www.idealstandardinternational.com

Certification process
consists of initial and
regular assessment of:

- quality system
- product

Electronic tapware

Technical specification

The products mentioned below belong to this product certificate.

Model	Article number	Type	Flow class	Acoustic group
BØRMA CERAPLUS	F1739##	Basin mixer, battery operated	O	I
BØRMA CERAPLUS	F1740##	Basin mixer, battery operated	O	I
IDEAL STANDARD CERAPLUS	A4152##	Basin mixer, battery operated	O	I
IDEAL STANDARD CERAPLUS	A6145##	Basin mixer, battery operated	O	I
Sensorflow	A7556##	Basin mixer, battery operated	-	-
Sensorflow	A7557##	Basin mixer, power plug	-	-
Sensorflow	A7558##	Basin mixer, power plug	-	-
Sensorflow	A7559##	Basin mixer, battery operated	-	-
Sensorflow	A7560##	Basin mixer, battery operated	-	-
Sensorflow	A7561##	Basin mixer, battery operated	-	-
Sensorflow	A7562##	Basin mixer, power plug / in wall power plug	-	-
Sensorflow	A7563##	Basin mixer, battery operated	-	-
Sensorflow	A7564##	Basin mixer, power plug / in wall power plug	-	-
Ceraplan I Hybrid	BD282##	Basin mixer, mechanical / electronic combination, battery operated	-	-
Ceraplan I Hybrid	BD283##	Basin mixer, mechanical / electronic combination, battery operated	-	-
Intelliflow	A7856##	Basin mixer, power plug	-	-
Intelliflow	A7857##	Basin mixer, battery operated	-	-
Intelliflow	A7858##	Basin tap, power plug	-	-
Intelliflow	A7859##	Basin tap, battery operated	-	-

The colour codes that can be used for "AA" for the taps mentioned above are as follows:

AA	Chrome
A2	Brushed gold
A5	Magnetic Grey
GN	Silver Storm
Q9	Matt champagne / chrome
RO	Rose
Si	Silver
U4	Matt black / chrome
U8	Matt grey pearl / chrome
XG	Silk black
XJ	Stainless steel look

Electronic tapware

Remark

The specified products were not yet assessed for compliance with all hygienic aspects as inserted in the “Drinkwaterbesluit” (Dutch Drinking Water Decree) and outlined in the “Regeling materialen en chemicaliën drink- en warm tapwatervoorziening” (Regulation on Materials and chemicals in the supply of drinking water and warm tap water”, implemented 01 July 2017. As specified in the mentioned regulation, a transition period applies. Before this period ends, the products shall be tested in accordance with clause 4.2.1 of the Kiwa evaluation guideline BRL-K14018.

Application and use

The electronic taps are intended for application in drinking water installations with a maximum static pressure of 1000 kPa and a maximum water temperature of 75 °C. The recommended limits for correct operation are a dynamic pressure between 100 kPa and 500 kPa and a water temperature of maximum 65 °C.

Marking

The Kiwa®-mark products are marked with the wordmark “KIWA”.

Place of the mark: on the body.

Compulsory specifications:

- name or mark of the manufacturer: on the body;
- indication of the acoustic group, if classified on the body;
- indication of the flow rate class, on the body.

Method of marking:

- non-erasable;
- visible after assembly.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Ideal Standard International N.V.
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.