

— SU200DC

End of Life Instruction

Decommissioning instructions available to enable responsible recycling or disposal



PREPARED		DOCUMENT KIND		SECURITY LEVEL		
2025-07-15 Stefan Michel		EoL Instructions		Public		
OWNING ORGANIZATION		DOCUMENT ID.		REV.	LANG.	PAGE
ABB - ELSB		9AKK108470A6516		C	en	1/5
© Copyright 2024 ABB. All rights reserved.						

Contents

1. Purpose and Basic Description	3
2. Dismantling instructions	3
2.1. More than 1 pole product:.....	3
2.2. 1 pole product:.....	4
3. Constituent materials	5
4. Additional Information.....	5

1. Purpose and Basic Description

This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This end-of-life instruction is intended for use by customers and recycling companies which outline the responsible recycling or disposal method of the ABB product.


SU200DC MCB is designed to be used in DC applications where high breaking capacity is required to protect against short-circuit and overload.

2. Dismantling instructions

2.1. More than 1 pole product:

In case of more than 1 pole, first, the handle toggle⁽¹⁾ and the two marked rivets⁽²⁾ should be removed to split the product into simple poles.


Then, there are some intermediate pieces and the barriers that can then be easily removed⁽³⁾.



2.2. 1 pole product:


On that point, all single poles will be dismantling on the same way.

Firstly, remove the rivets (only 4 rivets left in products of more than 1 pole), then you will be able to take out the cover and access to all the internal parts.



The different parts will be extracted until reaching the configuration of the figure below.

Rounded parts have soldered or riveted pieces that cannot be manually disassembled.



3. Constituent materials

Plastics		Metals		Packaging	
PA	32.6%	Steel	48.8%	Cardboard	6.9%
POM	1.4%	Copper	6.4%	Others	0.1%
Others	0.8%	Aluminum	1.6%		
		Others	1.1%	Others	0.2

Weight percentage of a single pole.

4. Additional Information

Weight per Pole	120.5 g
Overall dimensions (H x D x W)	95 x 69 x 17.5 mm