

## ToLEDo Superia T5 ECG

ToLEDo Superia T5 ECG HE V3 5FT 2800LM 840

0029267

### Product features

- 50,000 hours average rated lifetime
- Last 2.5 times longer than 35W 1449mm fluorescent tri-phosphor T5 lamp
- High switching cycles - 200,000X
- High lumen efficacy
- Omni-directional light distribution and wide beam angle
- Minimum and maximum operating temperature: -20°C to 50°C
- Glass construction and polycarbonate end-caps
- Not suitable for direct mains (AC 220-240V) or magnetic/ CCG ballast
- Works only with compatible electronic ballasts
- Ideal for factories, parking lots, supermarkets, department stores, schools and offices




### PRODUCT OVERVIEW

Product name	ToLEDo Superia T5 ECG HE V3 5FT 2800LM 840
Technology	LED
Watt (Rated) (W)	18
Lamp shape	Tube, double-ended
Cap/Base	G5
Lamp finish	Opal
Fixture rating	Open
General application	Education, Hospitality, Logistics & Industry, Museums & Galleries, Office, Residential & Consumer, Retail
ETIM Class	EC001959
Warranty	5 years
Useful luminous flux (Fuse)	2800
Luminous flux (lm)	2800
Correlated colour temperature (k)	4000
Light colour	Cool White
CRI (Ra)	80
Colour Variation Initial (SDCM)	SDCM6
Beam Angle (°)	150
Photobiological Risk Group	RG0
Power consumption (W)	18
Wattage (W)	18
Control gear type	Electronic ballast
Dimmable	No
Dimming method	N/A
Average life (Nominal) (h)	50000
Housing colour	White
IP rating	IP20
Product EAN number	5410288292670

### PHOTOMETRY

## ToLEDo Superia T5 ECG

ToLEDo Superia T5 ECG HE V3 5FT 2800LM 840  
0029267



## TECHNICAL DRAWINGS

