



Features


- High performance LED PAR30 lamp with the same look and feel of traditional PAR lamps Glass construction - means no colours clashing between the lamp and fixture Reduced visible heatsink from the front Mercury-free solution Lower maintenance cost Lifetime: up to 25,000 hours High lumen efficacy Dimmable with approved dimmers* 3 year warranty Suitable for general lighting and accent lighting for hotels, restaurants, bars, lobbies, corridors and halls



Product Overview

Product name	RefLED Retro PAR30 V2 DIM 820L 830 36 SL
Technology	LED
Watt (Rated) (W)	11
Fixture rating	Open
E-number FI	4741080
Colour temperature (K)	3000
CRI (Ra)	80
Colour Consistency (SDCM)	6
Colour Variation Initial (SDCM)	6
Photobiological Risk Group	RG1
Wattage (W)	11
Product EAN number	5410288291987
Warranty	3 years

Technical drawings



Data table

GENERAL DATA

Product name	RefLED Retro PAR30 V2 DIM 820L 830 36 SL
Technology	LED
Watt (Rated) (W)	11
Fixture rating	Open
Operating temperature range (°C)	-20°C...+40°C
Performance ambient temperature Tq (°C)	25
E-number FI	4741080
Warranty	3 years

OPTICAL DATA

Colour temperature (K)	3000
------------------------	------

RefLED Retro PAR30 V2 DIM 820L 830 36 SL 0029198

CRI (Ra)	80
Colour Consistency (SDCM)	6
Colour Variation Initial (SDCM)	6
Luminous Intensity (cd)	1900
Photobiological Risk Group	RG1
Lumen maintenance at end of nominal life (%)	70

ELECTRICAL DATA

Wattage (W)	11
Equivalent watt (W)	95
Primary Supply/Product voltage - min (V)	220
Control gear required	No
Inrush Current (A)	2.2
Inrush Duration (μ s)	50
Lamp Energy Label (class)	F

LIFETIME DATA

Lifespan L70 B50	25000
Average life (Rated) (h)	25000

PHYSICAL DATA

Nominal Product Length (mm)	94
Nominal Product Diameter (mm)	95
Weight (kg)	0.234

PACKAGING

Single packaging type	Carton
Product EAN number	5410288291987
Packaging single width (cm)	10.3
Packaging single depth (cm)	11.1
DUN14 (outer)	15410288291984
Packaging outer length / height (cm)	33.7

SYLVANIA

RefLED Retro PAR30 V2 DIM 820L 830 36 SL
0029198

SAFETY DATA

Optimal operating condition (°C)	-20-40
Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No
Safety message	Dimmable with approved dimmers

Energy label



ENERG ⚡
SYLVANIA
0029198



11
kWh/1000h



2019/2015



ENERG ⚡
SYLVANIA
0029198



11
kWh/1000h



2019/2015

Light your world