




### Features

- High performance LED PAR38 lamp with the same look and feel of traditional PAR lamps Glass construction - means no colours clashing between the lamp and fixture Reduced visible heatsink from the front Mercury-free solution Lower maintenance cost RefLED™ RT PAR38 IP65 is also suitable for outdoor applications when used with IP65 rated luminaires Lifetime: up to 25,000 hours High lumen efficacy Dimmable with approved dimmers\* 3 year warranty Suitable for general lighting and accent lighting for hotels, restaurants, bars, lobbies, corridors and halls

### Product Overview

Product name	RefLED Retro PAR38 V2 DIM 1200L 830 IP65 40 SL
Technology	LED
Watt (Rated) (W)	15
Fixture rating	Open
E-number FI	4741082
Colour temperature (K)	3000
CRI (Ra)	80
Colour Consistency (SDCM)	6
Colour Variation Initial (SDCM)	6
Photobiological Risk Group	RG1
Wattage (W)	15
Product EAN number	5410288292007
Warranty	3 years

## Technical drawings



## Data table

### GENERAL DATA

Product name	RefLED Retro PAR38 V2 DIM 1200L 830 IP65 40 SL
Technology	LED
Watt (Rated) (W)	15
Fixture rating	Open
Operating temperature range (°C)	-20°C...+40°C
Performance ambient temperature Tq (°C)	25
E-number FI	4741082
Warranty	3 years

### OPTICAL DATA

## RefLED Retro PAR38 V2 DIM 1200L 830 IP65 40 SL 0029200

Colour temperature (K)	3000
CRI (Ra)	80
Colour Consistency (SDCM)	6
Colour Variation Initial (SDCM)	6
Luminous Intensity (cd)	2400
Photobiological Risk Group	RG1
Lumen maintenance at end of nominal life (%)	70

### ELECTRICAL DATA

Wattage (W)	15
Equivalent watt (W)	140
Primary Supply/Product voltage - min (V)	220
Control gear required	No
Inrush Current (A)	2.4
Inrush Duration ( $\mu$ s)	50
Lamp Energy Label (class)	F

### LIFETIME DATA

Lifespan L70 B50	25000
Average life (Rated) (h)	25000

### PHYSICAL DATA

Nominal Product Length (mm)	134
Nominal Product Diameter (mm)	121
Weight (kg)	0.4

### PACKAGING

Single packaging type	Carton
Product EAN number	5410288292007
Packaging single width (cm)	13.4
Packaging single depth (cm)	15.0
DUN14 (outer)	15410288292004

# SYLVANIA

RefLED Retro PAR38 V2 DIM 1200L 830 IP65 40 SL  
0029200

Packaging outer length / height (cm)	43.7
--------------------------------------	------

## SAFETY DATA

Optimal operating condition (°C)	-20-40
Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No
Safety message	Dimmable with approved dimmers

## Energy label



0029200




15  
kWh/1000h



2019/2015



0029200



15  
kWh/1000h



2019/2015

Light your world