














36 503 985




- Abdeckplatte 120 x 120 mm
- Skalengriff mit Sicherheitssperre bei 38°C
- Thermostat-Kartusche


	Bronze gebürstet	36 503 985-42
	Chrom	36 503 985-00
	Platin gebürstet	36 503 985-06
	Platin	36 503 985-08
	Dark Brass matt	36 503 985-16
	Dark Bronze matt	36 503 985-17
	Dark Chrome	36 503 985-19
	Light Gold gebürstet	36 503 985-27
	Messing gebürstet (23kt Gold)	36 503 985-28
	Schwarz matt	36 503 985-33
	Champagne gebürstet (22kt Gold)	36 503 985-46
	Champagne (22kt Gold)	36 503 985-47
	Chrom gebürstet	36 503 985-93
	Dark Platin gebürstet	36 503 985-99

36 503 985

mm [inches]



Durchflussdiagramm



Codes & Standards

DIN 4109

EN 1111

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



xTOOL UP-Thermostat ohne Mengenregulierung 3/4" - Bronze gebürstet

SERIENSPEZIFISC

36 503 985

Zertifikate

WRAS_2011

DVGW_DW-
6512DN0

LGA_29

36 503 985

Ersatzteile für die
anderen
Oberflächenvarianten
finden Sie hier:
Chrom

