


36 607 661


- Rosette Ø 60 mm
- Oberteil mit ablängbarer Spindel und Hülse



	Gold gebürstet (PVD)	36 607 661-37
	Chrom	36 607 661-00
	Platin gebürstet	36 607 661-06
	Dark Chrome	36 607 661-19
	Light Gold (PVD)	36 607 661-26
	Light Gold gebürstet (PVD)	36 607 661-27
	Schwarz matt	36 607 661-33
	Dark Brass gebürstet (PVD)	36 607 661-39
	Bronze gebürstet (PVD)	36 607 661-42
	Dark Bronze gebürstet (PVD)	36 607 661-43
	Chrom gebürstet	36 607 661-93
	Dark Platinum gebürstet	36 607 661-99

36 607 661

mm [inches]



Durchflussdiagramm



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



META Unterputzventil rechtsschließend 1/2" - Gold gebürstet (PVD)

META

36 607 661

Zertifikate und Nachhaltigkeit

LGA_38

LGA_29

WRAS_2010

LGA_29

EPD-DOR-20230287
-IBA-DE Umwelt-
Produktdeklaration

36 607 661

Ersatzteile für die
anderen
Oberflächenvarianten
finden Sie hier:
Chrom

