

# Concord

Lytespan 3 3-circuit - Standard Track - 3m - Black  
**2025502**



## Features

- Lytespan 3 - 3 Circuit Track, compact venturi trunk profile, extruded aluminium body, suitable for surface mounting and suspending, (LxWxH) 3000x37x45mm, 3.45kg, Black RAL 9005, Class 1, maximum installed load: 3x3680W (11040W), fuse: 3x16A, supply cable: 5 x 1.5mm<sup>2</sup>, 400 VAC supply




## Product Overview

Product name	Lytespan 3 3-circuit - Standard Track - 3m - Black
Technology	Accessory
Housing	Aluminium
Mount	Ceiling surface mounting
Environment	Internal
Electrical protection	Class I
Housing colour	Black
Product EAN number	5025768255023
Warranty	5 years

# Concord

Lytespan 3 3-circuit - Standard Track - 3m - Black  
**2025502**

## Technical drawings



## Data table

### GENERAL DATA

Product name	Lytespan 3 3-circuit - Standard Track - 3m - Black
Technology	Accessory
Housing	Aluminium
Mount	Ceiling surface mounting
Environment	Internal
Warranty	5 years

### OPTICAL DATA

Adjustable chromaticity	N
-------------------------	---

### ELECTRICAL DATA

Electrical protection	Class I
Control gear required	No

### PHYSICAL DATA

# Concord

## Lytespan 3 3-circuit - Standard Track - 3m - Black 2025502

Housing colour	Black
Nominal Product Length (mm)	3000
Nominal Product Width (mm)	37
Weight (kg)	3.45

### PACKAGING

Single packaging type	Carton
Product EAN number	5025768255023
Packaging single width (cm)	5.99
Packaging single depth (cm)	5.99
Packaging outer length / height (cm)	306.22

### SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No