

MEM Bath spout for wall mounting - Brushed Platinum

MEM

13 801 782 Product version from 3/10/2014



- 220mm projection
- rectangular, air-enriched flow
- rosette 60 x 60 mm
- hole diameter 37 mm
- 1/2" connection
- max. flow 38.5 l/min at 3 bar flow pressure
- WRAS

	Brushed Platinum	13 801 782-06
	Chrome	13 801 782-00
	Platinum	13 801 782-08
	Dark Chrome	13 801 782-19
	Brushed Light Gold (PVD)	13 801 782-27
	Brushed Durabrass (23kt Gold)	13 801 782-28
	Brushed Dark Brass (PVD)	13 801 782-39
	Brushed Bronze (PVD)	13 801 782-42
	Brushed Dark Bronze (PVD)	13 801 782-43
	Brushed Champagne (22kt Gold)	13 801 782-46
	Champagne (22kt Gold)	13 801 782-47
	Brushed Dark Platinum	13 801 782-99

Recommended miscellaneous



Concealed wall elbow -

35 085 970 90


- min. recess depth 90 mm
- max. recess depth 163 mm

MEM Bath spout for wall mounting - Brushed Platinum


MEM

13 801 782 Product version from 3/10/2014

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1

cUPC

Scottish Water
Byelaws

UK Water Supply
Regulations




MEM Bath spout for wall mounting - Brushed Platinum

MEM

13 801 782 Product version from 3/10/2014

Certificates and sustainability

WRAS_2203	IAPMO_4976	EPD-DOR-20230287 -IBA1-EN Environmental.prod uct-declarat
-----------	------------	--



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
2	90 27 78 035 00-06	Cover 60 x 60 x 9 mm - Brushed Platinum	1.00	20
3	04 28 22 290 00-06	Spout 220 x 35 x 11 mm - Brushed Platinum	1.00	20
1	09 14 10 111 90	O-Ring 36,0 x 2,0 mm -	1.00	14