

## Beacon LED

BEACON 93CRI 4K MEDIUM BEAM L3+DALI WHITE

2059645



### PRODUCT OVERVIEW

|                             |   |
|-----------------------------|---|
| Product name                | BEACON 93CRI 4K MEDIUM BEAM L3+DALI WHITE |
| Technology                  | LED                                       |
| Cap/Base                    | N/A                                       |
| Housing                     | Aluminium                                 |
| Mount                       | Track mounting                            |
| Environment                 | Internal                                  |
| Warranty                    | 5 years                                   |
| Fixture luminous flux (lm)  | 1885                                      |
| Luminaire efficacy (lm/W)   | 90  |
| LOR (%)                     | 100                                       |
| Colour temperature (K)      | 4000                                      |
| Light colour                | Neutral White                             |
| CRI (Ra)                    | 93  |
| Colour Consistency (SDCM)   | 3   |
| Photobiological Risk Group  | RG1                                       |
| Total power consumption (W) | 21  |
| Electrical protection       | Class II                                  |
| Control gear type           | Electronic ballast                        |
| Housing colour              | White                                     |
| IP rating                   | IP20                                      |
| IK rating                   | IK02                                      |
| Product EAN number          | 5025768596454                             |

### DATA TABLE

#### General data

|              |   |
|--------------|---|
| Product name | BEACON 93CRI 4K MEDIUM BEAM L3+DALI WHITE |
| Technology   | LED                                       |
| Cap/Base     | N/A                                       |
| Housing      | Aluminium                                 |
| Mount        | Track mounting                            |
| Environment  | Internal                                  |

## Beacon LED

*BEACON 93CRI 4K MEDIUM BEAM L3+DALI WHITE*

2059645

|   |         |
|---|---------|
| Performance ambient temperature Tq (°C) | 25      |
| Warranty                                | 5 years |

### Optical data

|                            |               |
|----------------------------|---------------|
| Fixture luminous flux (lm) | 1885          |
| Luminaire efficacy (lm/W)  | 90            |
| LOR (%)                    | 100           |
| Colour temperature (K)     | 4000          |
| Light colour               | Neutral White |
| CRI (Ra)                   | 93            |
| Colour Consistency (SDCM)  | 3             |
| Adjustable chromaticity    | N             |
| Photobiological Risk Group | RG1           |

### Electrical data

|  |                    |
|--|--------------------|
| Total power consumption (W)                              | 21                 |
| Primary Supply/Product voltage - min (V)                 | 220                |
| Lamp power factor  | 0.9                |
| Electrical protection                                    | Class II           |
| Control gear type  | Electronic ballast |
| Drive current (mA)                                       | 500                |
| Inrush Current (A)                                       | 5                  |
| Inrush Duration (µs)                                     | 50                 |
| Glow Wire Test (°C)                                      | 650                |
| Energy Efficiency Class (A->G) of contained light source | E                  |
| Nominal Frequency (Hz)                                   | 50/60Hz            |
| Max. products per 10A C Breaker                          | 52                 |

### Lifetime data

|                  |       |
|------------------|-------|
| Lifespan L70 B50 | 72000 |
| Lifespan L70 B10 | 72000 |
| Lifespan L80 B50 | 72000 |
| Lifespan L80 B20 | 72000 |
| Lifespan L80 B10 | 72000 |
| Lifespan L90 B50 | 43000 |
| Lifespan L90 B20 | 36000 |
| Lifespan L90 B10 | 33000 |

### Physical data

|                               |       |
|-------------------------------|-------|
| Housing colour                | White |
| IP rating                     | IP20  |
| IK rating                     | IK02  |
| Nominal Product Width (mm)    | 130   |
| Nominal Product Diameter (mm) | 80    |
| Weight (kg)                   | 0.7   |

### Packaging



## Beacon LED

BEACON 93CRI 4K MEDIUM BEAM L3+DALI WHITE

2059645

|                                      |                |
|--------------------------------------|----------------|
| Single packaging type                | Carton         |
| Product EAN number                   | 5025768596454  |
| Packaging single width (cm)          | 17.6           |
| Packaging single depth (cm)          | 18.2           |
| DUN14 (outer)                        | 05025768596454 |
| Packaging outer length / height (cm) | 16.0           |

### PHOTOMETRY



### TECHNICAL DRAWINGS

