





## Features

- Energy efficient LED alternative for traditional incandescent and halogen blown reflector lamp
- Modern construction and attractive design
- Mercury free solution
- Long average rated lifetime: 15,000 hours
- Lower maintenance cost compared to traditional lamps
- Non-dimmable
- 3 years warranty
- Perfect for general lighting applications: residential lighting, down lights, hotels, hotels, restaurants, bars, lobbies, corridors, halls, etc

## Product Overview

|                                 |                                |
|---------------------------------|--------------------------------|
| Product name                    | RefLED R63 V4 630LM 830 E27 SL |
| Technology                      | LED                            |
| Watt (Rated) (W)                | 7                              |
| Cap/Base                        | E27                            |
| Fixture rating                  | Open                           |
| E-number FI                     | 4741088                        |
| Colour temperature (K)          | 3000                           |
| CRI (Ra)                        | 80                             |
| Colour Consistency (SDCM)       | 6                              |
| Colour Variation Initial (SDCM) | 6                              |
| Photobiological Risk Group      | RG1                            |
| Wattage (W)                     | 7                              |
| Product EAN number              | 5410288292083                  |
| Warranty                        | 3 years                        |

## Technical drawings



## Data table

### GENERAL DATA

|   |                                |
|---|--------------------------------|
| Product name                            | RefLED R63 V4 630LM 830 E27 SL |
| Technology                              | LED                            |
| Watt (Rated) (W)                        | 7                              |
| Cap/Base                                | E27                            |
| Fixture rating                          | Open                           |
| Operating temperature range (°C)        | -20°C...+40°C                  |
| Performance ambient temperature Tq (°C) | 25                             |
| E-number FI                             | 4741088                        |
| Warranty                                | 3 years                        |

### OPTICAL DATA

## RefLED R63 V4 630LM 830 E27 SL 0029208

|  |      |
|--|------|
| Colour temperature (K)                       | 3000 |
| CRI (Ra)                                     | 80   |
| Colour Consistency (SDCM)                    | 6    |
| Colour Variation Initial (SDCM)              | 6    |
| Photobiological Risk Group                   | RG1  |
| Lumen maintenance at end of nominal life (%) | 70   |

### ELECTRICAL DATA

|  |         |
|--|---------|
| Wattage (W)                              | 7       |
| Equivalent watt (W)                      | 50      |
| Primary Supply/Product voltage - min (V) | 220     |
| Control gear required                    | No      |
| Inrush Current (A)                       | 2       |
| Inrush Duration ( $\mu$ s)               | 240     |
| Lamp Energy Label (class)                | F       |
| Nominal Frequency (Hz)                   | 50/60Hz |

### LIFETIME DATA

|                          |       |
|--------------------------|-------|
| Lifespan L70 B50         | 15000 |
| Average life (Rated) (h) | 15000 |

### PHYSICAL DATA

|                               |      |
|-------------------------------|------|
| Nominal Product Length (mm)   | 97   |
| Nominal Product Diameter (mm) | 63   |
| Weight (kg)                   | 0.04 |

### PACKAGING

|                             |                |
|-----------------------------|----------------|
| Single packaging type       | Carton         |
| Product EAN number          | 5410288292083  |
| Packaging single width (cm) | 6.3            |
| Packaging single depth (cm) | 10.0           |
| DUN14 (outer)               | 15410288292080 |

# SYLVANIA

RefLED R63 V4 630LM 830 E27 SL  
0029208

|                                      |      |
|--------------------------------------|------|
| Packaging outer length / height (cm) | 19.7 |
|--------------------------------------|------|

## SAFETY DATA

|                                     |  |
|-------------------------------------|--|
| Optimal operating condition (°C)    | -20-40                                     |
| Breakage cleaning instructions      | Not applicable                             |
| Special purpose lamp                | No   |
| Dry applications use only           | No   |
| Suitable for household illumination | No   |
| Safety message                      | Not Suitable for totally enclosed fixtures |

## Energy label




0029208



7  
kWh/1000h



0029208



7  
kWh/1000h



Light your world