

Concord

Lytespan LP single circuit - Starter Track - 1m - Silver
2025709



Features

- Lytespan LP - Single circuit Starter Track kit, extruded aluminium body, suitable for surface mounting. Supplied with Track Unit, Push-up Live Feed, End Caps, Surface Mounting screws and screw cap covers, (LxWxH) 1000x45x16mm, 0.60kg, Silver RAL 9006, Class 1, maximum installed load: 1x3840W (1x3680W), fuse: 1x16A, supply cable: 3 x 1.5mm², 240 (230) VAC supply


Product Overview

Product name	Lytespan LP single circuit - Starter Track - 1m - Silver
Technology	Accessory
Mount	Ceiling surface mounting
Environment	Interior
E-number FI	4276875
E-number SE	7416003
Housing colour	Silver
Product EAN number	5025768257096
Warranty	5 years

Concord

Lytespan LP single circuit - Starter Track - 1m - Silver
2025709

Technical drawings



Data table

GENERAL DATA

Product name	Lytespan LP single circuit - Starter Track - 1m - Silver
Technology	Accessory
Mount	Ceiling surface mounting
Environment	Interior
E-number FI	4276875
E-number SE	7416003
Warranty	5 years

OPTICAL DATA

Adjustable chromaticity	N
-------------------------	---

ELECTRICAL DATA

Primary Supply/Product voltage - min (V)	230
Control gear required	No

Concord

Lytespan LP single circuit - Starter Track - 1m - Silver
2025709

PHYSICAL DATA

Housing colour	Silver
Nominal Product Length (mm)	1000
Weight (kg)	0.6

PACKAGING

Single packaging type	Carton
Product EAN number	5025768257096
Packaging single width (cm)	5.0
Packaging single depth (cm)	5.0
Packaging outer length / height (cm)	101.0

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No