Concord

Lytespan LP single circuit - Starter Track - 3m - Silver **2025711**





Features

• Lytespan LP - Single circuit Starter Track kit, extruded aluminium body, suitable for surface mounting. Supplied with Track Unit, Push-up Live Feed, End Caps, Surface Mounting screws and screw cap covers, (LxWxH) 3000x45x16mm, 1.80kg, Silver RAL 9006, Class 1, maximum installed load: 1x3840W (1x3680W), fuse: 1x16A, supply cable: 3 x 1.5mm², 240 (230) VAC supply

Product Overview


| Product name | Lytespan LP single circuit - Starter Track - 3m - Silver |
|--------------------|--|
| Technology | Accessory |
| Mount | Ceiling surface mounting |
| Environment | Interior |
| E-number FI | 4276877 |
| E-number SE | 7416005 |
| Housing colour | Silver |
| Product EAN number | 5025768257119 |
| Warranty | 5 years |



Concord

Lytespan LP single circuit - Starter Track - 3m - Silver **2025711**

Technical drawings



Data table

| GFN | | A I | DA ⁻ | |
|-----|---|----------|-----------------|---|
| 170 | 4 | ~ | .,. | _ |

| Product name | Lytespan LP single circuit - Starter Track - 3m - Silver |
|--------------|---|
| Technology | Accessory |
| Mount | Ceiling surface mounting |
| Environment | Interior |
| E-number FI | 4276877 |
| E-number SE | 7416005 |
| Warranty | 5 years |

OPTICAL DATA

Adjustable chromaticity N

ELECTRICAL DATA

| Primary Supply/Product voltage - min (V) | 230 |
|--|-----|
| Control gear required | No |



Concord

Lytespan LP single circuit - Starter Track - 3m - Silver **2025711**

PHYSICAL DATA

| Housing colour | Silver |
|-----------------------------|--------|
| Nominal Product Length (mm) | 3000 |
| Weight (kg) | 1.8 |

PACKAGING

| Single packaging type | Carton |
|--------------------------------------|---------------|
| Product EAN number | 5025768257119 |
| Packaging single width (cm) | 5.0 |
| Packaging single depth (cm) | 5.0 |
| Packaging outer length / height (cm) | 326.0 |

SAFETY DATA

| Special purpose lamp | No |
|-------------------------------------|----|
| Dry applications use only | No |
| Suitable for household illumination | No |

