



Product certificate K11292/28

Issued 2024-04-01

Replaces K11292/27

Page 1 of 8

Thermostatic mixers

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

Hansgrohe SE

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline

BRL-K610 "Thermostatic mixers".

which covers the requirements of

EN 1111:2017 "Sanitary tapware; Thermostatic mixing valves (PN10)".

Ron Scheepers
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

CERTIFICATE

288171015

Kiwa Nederland B.V.
Sir Winston Churchillaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
NL.Kiwa.info@Kiwa.com
www.kiwa.nl

Company
Hansgrohe SE
Auestrasse 5-9
77761 SCHILTACH
Germany
Tel. +49 7836 51-0
info@hansgrohe.com
www.hansgrohe.com



Certification process
consists of initial and
regular assessment of:

- quality system
- product

Thermostatic mixers

Technical specification

The products mentioned below belong to this product certificate;

Hansgrohe

series ECOSTAT 1001 SL

13 241 xx0	thermostatic bath/ shower mixer
13 261 xx0	thermostatic shower mixer

series ECOSTAT 1001 SL Care

13 282 xx0	thermostatic shower mixer
13 284 xx0	thermostatic bath/ shower mixer

series ECOSTAT E

13 125 xx0	thermostatic shower mixer
13 145 xx0	thermostatic bath/shower mixer
01800180	i-Box Universal concealment set,
in combination with:	
15 700 xx0	Ecostat E
15 705 xx0	Ecostat E
15 707 xx0	Ecostat E
15 708 xx0	Ecostat E
15 710 xx0	Ecostat E
15 720 xx0	Ecostat E

series ECOSTAT S

13 235 xx0	thermostatic shower mixer
13 245 xx0	thermostatic bath/shower mixer
01800180	i-Box Universal concealment set,
in combination with:	
15 701 xx0	Ecostat S
15 711 xx0	Ecostat S
15 715 xx0	Ecostat S
15 721 xx0	Ecostat S
15 755 xx0	Ecostat E
15 757 xx0	Ecostat E
15 758 xx0	Ecostat S
15 790 xx0	Ecostat S Care

series HANSGROHE

01800180	i-Box Universal concealment set,
in combination with:	
15 722 xx0	Puro bath/ shower finish set
15 731 xx0	Mediano S shower finish set
15 732 xx0	Mediano S shower finish set
15 733 xx0	Mediano S bath/ shower finish set
15 751 xx0	Classic shower finish set
15 752 xx0	Classic shower finish set
15 753 xx0	Classic bath/ shower finish set
15 754 xx0	Classic shower finish set
15 770 xx0	PuraVida shower finish set
15 771 xx0	PuraVida bath/ shower finish set
15 772 xx0	PuraVida shower finish set
15 775 xx0	PuraVida shower finish set
31 570 xx0	Metris E2 shower finish set
31 571 xx0	Metris E2 shower finish set
31 572 xx0	Metris E2 shower finish set
31 573 xx0	Metris E2 bath/ shower finish set

series PICTA Comfort

13 715 xx0
13 714 xx0

series PICTA Comfort

13 715 xx0
13 714 xx0

series FOX

14 244 xx0
14 246 xx0

series FOX

14 244 xx0
14 246 xx0

The products above have been tested according to EN1111:1998.

Thermostatic mixers

series ECOSTAT Comfort

13 120 xx0	thermostatic shower mixer
13 121 xx0	thermostatic bath/shower mixer
13 114 xx0	thermostatic bath/shower mixer
13 116 xx0	thermostatic shower mixer

series ECOSTAT Comfort Care

13 115 xx0	thermostatic bath/shower mixer
13 117 xx0	thermostatic shower mixer

series ECOSTAT Select

13 141 xx0	thermostatic bath/shower mixer
13 161 xx0	thermostatic shower mixer
30 164 918	thermostatic shower mixer

series Shower Tablet Select

13 151 xx0	thermostatic bath/shower mixer
13 171 xx0	thermostatic shower mixer

series Raindance Powder Rain

30 730 418	thermostatic shower mixer
------------	---------------------------

series Shower Tablet Select 700

13 183 xx0	thermostatic bath/shower mixer
13 184 xx0	thermostatic mixer with 2 universal outlets

series Vernis Blend & Shape

26 079 xx0	Shower pipe, consist of: 30356318 Thermostatic mixer and Riser Pipe 26271 Head shower 26270 Hand shower
26 089 xx0	Shower pipe, consist of: 30356218 Thermostatic mixer and Riser Pipe 26271 Head shower 26270 Hand shower
26 097 xx0	Shower pipe, consist of: 30360018 Thermostatic mixer and Riser Pipe 26281 Head shower 26270 Hand shower
26 098 xx0	Shower pipe, consist of: 30360118 Thermostatic mixer and Riser Pipe 26281 Head shower 26270 Hand shower
26 274 xx0	Shower pipe, consist of: 30356318 Thermostatic mixer and Riser Pipe 26271 Head shower 26270 Hand shower
26 276 xx0	Shower pipe consist of: 30356218 Thermostatic mixer and Riser Pipe 26271 Head shower 26270 Hand shower
26 284 xx0	Shower pipe consist of: 30360118 Thermostatic mixer and Riser Pipe 26281 Head shower 26270 Hand shower
26 286 xx0	Shower pipe consist of: 30360018 Thermostatic mixer and Riser Pipe 26281 Head shower 26270 Hand shower
26 318 xx0	Shower pipe consist of:

series ECOSTAT Universal

13 122 xx0	thermostatic shower mixer
13 111 xx0	thermostatic shower mixer

series ECOSTAT Puro

13 148 xx0	thermostatic bath/shower mixer
13 232 xx0	thermostatic shower mixer

series ECOSTAT Comfort HQ

13 112 xx0	thermostatic bath/shower mixer
13 714 xx0	thermostatic bath/shower mixer
13 138 xx0	thermostatic bath/shower mixer
14 442 xx0	thermostatic bath/shower mixer
13 113 xx0	thermostatic shower mixer
15 368 xx0	thermostatic shower mixer
13 715 xx0	thermostatic shower mixer
13 137 xx0	thermostatic shower mixer
13 288 xx0	thermostatic shower mixer
14 642 xx0	thermostatic shower mixer

series ECOSTAT Comfort Nordic

13 118 xx0	thermostatic bath/shower mixer
13 119 xx0	thermostatic shower mixer

series ECOSTAT Refresh

13 324 xx0	thermostatic shower mixer
13 325 xx0	thermostatic bath mixer
13 346 xx0	thermostatic shower mixer
13 347 xx0	thermostatic bath mixer
24 261 xx0	Shower pipe, consist of 13 324 xx0 Thermostatic mixer 24110 Hand shower
24 262 xx0	Shower pipe, consist of 13 324 xx0 Thermostatic mixer 24110 Hand shower
24 271 xx0	Shower pipe, consist of 13 346 xx0 Thermostatic mixer 24110 Hand shower
24 271 xx0	Shower pipe, consist of 13 346 xx0 Thermostatic mixer 24110 Hand shower

series Rainfinity

28 742 xx0	Shower pipe, consist of: 30220416 Thermostatic shower mixer 30032618 Over head shower 26865 Hand shower
26 853 xx0	Shower pipe, consist of: 30220416 Thermostatic shower mixer 30010500 Over head shower 26864 Hand shower

series Pulsify

Thermostatic mixers

	30356218 Thermostatic mixer and Riser Pipe	24 340 xx0	thermostatic bath/shower mixer
	26281 Head shower	24 360 xx0	thermostatic shower mixer
	26270 Hand shower	24 220 xx0	Shower pipe, consist of
26 319 xx0	Shower pipe consist of:		30376398 Thermostatic shower mixer
	30356218 Thermostatic mixer and Riser Pipe		30302498 Overhead Shower
	26281 Head shower		24110 Hand Shower
	26270 Hand shower	24 221 xx0	Shower pipe, consist of
26 426 xx0	Shower pipe, consist of:		30376398 Thermostatic shower mixer
	30356217 Thermostatic mixer and Riser Pipe		32302498 Overhead Shower
	30306167 Overhead Shower		24111 Hand Shower
	30331887 Hand Shower	24 230 xx0	Shower pipe, consist of
26 427 xx0	Shower pipe, consist of:		30375298 Thermostatic bath mixer
	30360017 Thermostatic mixer and Riser Pipe		30302498 Overhead Shower
	30306267 Overhead Shower		24110 Hand Shower
	30331887 Hand Shower	24 240 xx0	Shower pipe, consist of
26 428 xx0	Shower pipe, consist of		30373498 Thermostatic bath mixer
	30356227 Thermostatic mixer and Riser Pipe		30358298 Overhead Shower
	30306367 Overhead Shower		24110 Hand Shower
	32331887 Hand Shower	24 241 xx0	Shower pipe, consist of
26 429 xx0	Shower pipe, consist of		30373498 Thermostatic bath mixer
	30360027 Thermostatic mixer and Riser Pipe		30358298 Overhead Shower
	30306467 Overhead Shower		24111 Hand Shower
	32331887 Hand Shower		
26 899 xx0	Shower pipe, consist of		
	30356367 Thermostatic mixer and Riser Pipe		
	30306167 Overhead Shower		
	30331887 Hand Shower		
26 900 xx0	Shower pipe, consist of		
	30360167 Thermostatic mixer and Riser Pipe		
	30306267 Overhead Shower		
	30331887 Hand Shower		

series Shower Select Composition

01400180	AX i-Box Universal 2 concealment set
01500180	HG i-Box Universal 2 concealment set
In combination with:	
15 553 xx0	Comfort S Thermostatic mixer 1 function
15 554 xx0	Comfort S Thermostatic mixer 1 function
15 556 xx0	Comfort S Thermostatic mixer 2 functions with integrated security combination according to EN1717
15 558 xx0	Comfort S Valve 3 functions
15 559 xx0	Comfort S Thermostatic mixer
15 562 xx0	Comfort S Thermostatic mixer 1 function
15 571 xx0	Comfort E Thermostatic mixer 1 function
15 572 xx0	Comfort E Thermostatic mixer 2 functions
15 573 xx0	Comfort E Valve 3 functions
15 574 xx0	Comfort E Thermostatic mixer
15 575 xx0	Comfort E Thermostatic mixer 1 function
15 578 xx0	Comfort E Thermostatic mixer 2 functions with integrated security combination according to EN1717
15 581 xx0	Comfort Q Thermostatic mixer 1 function
15 583 xx0	Comfort Q Thermostatic mixer 2 functions
15 586 xx0	Comfort Q Thermostatic mixer 2 functions with integrated security combination according to EN1717
15 587 xx0	Comfort Q Valve 3 functions
15 588 xx0	Comfort Q Thermostatic mixer
15 589 xx0	Comfort Q Thermostatic mixer 1 function

Thermostatic mixers

The products above have been tested according to EN1111:2017.

Thermostatic mixers

AXOR

series BOUROLLEC

01800180	i-Box Universal concealment set, in combination with:
19 700	finish set
19 702	finish set
19 704	finish set
19 706	bath/ shower finish set

series CARLTON

17 241 xx0	thermostatic bath/ shower mixer
17 261 xx0	thermostatic shower mixer
01800180	i-Box Universal concealment set, in combination with:
17 700 xx0	shower finish set
17 705 xx0	shower finish set
17 710 xx0	shower finish set
17 712 xx0	shower finish set
17 715 xx0	shower finish set
17 716 xx0	shower finish set
17 720 xx0	bath/ shower finish set
17 725 xx0	bath/ shower finish set

series CITERIO

39 365 xx0	thermostatic shower mixer
01800180	i-Box Universal concealment set, in combination with:
39 700 xx0	thermostatic mixer - concealed
39 705 xx0	thermostatic mixer - concealed
39 710 xx0	thermostatic mixer - concealed
39 711 xx0	shower finish set
39 715 xx0	thermostatic mixer – concealed
39 716 xx0	shower finish set
39 720 xx0	bath/ shower finish set
39 725 xx0	bath/ shower finish set

series CITERIO M

01800180	i-Box Universal concealment set, in combination with:
34 705 xx0	shower finish set
34 715 xx0	shower finish set
34 716 xx0	shower finish set
34 725 xx0	bath/shower finish set

series MASSAUD

01800180	i-Box Universal concealment set, in combination with:
18 740 xx0	shower finish set
18 741 xx0	shower finish set
18 745 xx0	shower finish set
18 750 xx0	bath/ shower finish set

series URQUIOLA

01800180	i-Box Universal concealment set, in combination with:
11 730 xx0	finish set
11 731 xx0	finish set
11 732 xx0	finish set
11 733 xx0	bath/ shower finish set

series MONTREUX

16 241 xx0	thermostatic bath/ shower mixer
16 261 xx0	thermostatic shower mixer
01800180	i-Box Universal concealment set, in combination with:
16 800 xx0	shower finish set
16 810 xx0	shower finish set
16 815 xx0	shower finish set
16 820 xx0	bath/ shower finish set

series STARCK

01800180	i-Box Universal concealment set, in combination with:
10 700 xx0	shower finish set
10 710 xx0	shower finish set
10 715 xx0	shower finish set
10 720 xx0	bath/ shower finish set

series STARCK X

01800180	i-Box Universal concealment set, in combination with:
10 706 xx0	shower finish set
10 716 xx0	shower finish set
10 717 xx0	shower finish set
10 726 xx0	bath/ shower finish set

series STEEL

01800180	
35 700 xx0	shower finish set
35 710 xx0	shower finish set
35 715 xx0	shower finish set
35 720 xx0	bath/ shower finish set

series TERRANO

37 241 xx0	thermostatic bath / shower mixer
37 261 xx0	thermostatic shower mixer
01800180	i-Box Universal concealment set, in combination with:
37 700 xx0	shower finish set
37 705 xx0	shower finish set
37 710 xx0	shower finish set
37 711 xx0	shower finish set
37 715 xx0	shower finish set

series UNO

01800180	i-Box Universal concealment set, in combination with:
38 715 xx0	shower finish set
38 375 xx0	shower finish set
38 700 xx0	shower finish set
38 720 xx0	bath/ shower finish set

Thermostatic mixers

series URQUIOLA

11 422 000 roman tub set

series CITTERIO E36 140 xx0 thermostatic bath/ shower mixer
36 160 xx0 thermostatic shower mixer**series CITTERIO M**34 435 xx0 thermostatic bath/ shower mixer
34 635 xx0 thermostatic shower mixer**series Shower Composition**12571xx0 thermostatic shower mixer in
combination with:
18310180 basic set
12572xx0 thermostatic shower mixer in
combination with:
18311180 basic set
12573xx0 thermostatic shower mixer in
combination with:
18312180 basic set
12595xx0 Shower panel in combination
with:
12676180 basic set**series ONE**45 711 xx0 Module for concealed installation,1 outlet
45 712 xx0 Module for concealed installation,2 outlets
45 713 xx0 Module for concealed installation,3 outlets**series STARCK Organic**12 410 xx0 thermostatic bath/ shower mixer
12 602 xx0 thermostatic shower mixer**series Axor Terra**12 672 xx0 Thermostatic shower set with concealed body,
in combination with:
30000518 Head shower
28532xxx Hand shower

The products above have been tested according to EN1111:2017.

The colour code (xx0) of the mentioned mixers can be as follows:

-02	Polished Chrome PVD
-13	Polished Bronze PVD
-14	Brushed Bronze PVD
-25	Brushed Gold Optic PVD
-26	Brushed Chrome PVD
-28	Black Glossy, Powder coated
-29	Black Matt, Powder coated
-30	Polished Red gold PVD
-31	Brushed Red gold PVD
-33	Polished Black Chrome PVD
-34	Brushed Black Chrome PVD
-35	Real Gold, Galvanic
-36	Black Matt, Wet coating
-47	Black Glossy, Wet coating
-51	White Glossy, Powder coated
-53	White Matt , Powder coated
-54	White Glossy , Wet coating
-55	White Matt, Wet coating
-66	Polished Steel Optic PVD
-80	Brushed Steel Optic PVD
-82	Brushed Nickel PVD
-83	Polished Nickel PVD
-99	Polished Gold Optic PVD
-670	Black Matt, Powder coated
-670	Black Matt, Wet coating
-700	White Matt, Powder coated
-700	White Matt, Wet coating

Thermostatic mixers

Remark

The above listed products were not yet assessed for compliance with all Hygienic Aspects as stated in the Dutch Drinking Water Decree and as outlined in the “Regeling materialen en chemicaliën drink- en warm tapwatervoorziening” (“Regulation on materials and chemicals in drinking water and warm tap water supply), implemented on 01 July 2017, as specified in clause 4.2.2.1 of the Kiwa Evaluation guideline BRL-K610.

Application and use

Thermostatic mixing valves are intended for application in tap water installations with a static water pressure of maximum 1000 kPa and a maximum water temperature of 90°C. The recommended limits for correct operation are: a working pressure of 100 kPa up to 500 kPa and a water temperature of maximum 65°C.

Marking

The Kiwa®-mark products are marked with the wordmark “KIWA”.

Place of the mark: on the body.

Compulsory specifications:

- name or mark of the manufacturer: on the body;
- indication for temperature selection: on the control device;
- the acoustic group, if classified: on the body;
- the flow rate class: on the body.

Method of marking:

- non-erasable;
- visible after assembly.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Hansgrohe SE
and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.