


**Data Sheet | Item Number: 793-4958**

WMB marking card; as card; MARKED; 1A, 1B, ..., 1G, 1H, ... to 10A, 10B, ..., 10G, 10H;  
stretchable 4 - 4.2 mm; Vertical marking; snap-on type; white

<https://www.wago.com/793-4958>



Color:  white

Similar to illustration

| Technical data              |  |                                                          |
|-----------------------------|--|----------------------------------------------------------|
| Suitable                    |  | for subdistribution boxes (power stations)               |
| Marking method              |  | Thermal transfer                                         |
| Marking                     |  | 1A, 1B, ..., 1G, 1H, ... to 10A, 10B, ..., 10G, 10H, , ; |
| Marking (number)            |  | 1                                                        |
| Marking direction           |  | Vertical marking                                         |
| Marking color               |  | black                                                    |
| Marking type                |  | Symbol                                                   |
| Marking layout              |  | Consecutive symbols each strip                           |
| Delivery form               |  | Marker card                                              |
| Delivery form configuration |  | 10 strips with 10 markers per card                       |
| Flammability class per UL94 |  | V2                                                       |

| Physical data      |  |              |
|--------------------|--|--------------|
| Marker/strip width |  | 4 ... 4.2 mm |
| Marker width       |  | 4 mm         |

| Mechanical data  |  |                 |
|------------------|--|-----------------|
| Smear resistance |  | EN 60998-1:2004 |



| Material data |                               |
|---------------|-------------------------------|
| Color         | white                         |
| UV resistance | EN 60068-2-5:2010 Procedure B |
| Halogen-free  | Yes                           |
| Weight        | 7.2 g                         |
| Fire load     | 0.214 MJ                      |

| Commercial data       |                                |
|-----------------------|--------------------------------|
| Product Group         | 2 (Terminal Block Accessories) |
| PU (SPU)              | 50 (5) pcs                     |
| Packaging type        | Box                            |
| Country of origin     | DE                             |
| GTIN                  | 4045454289034                  |
| Customs tariff number | 49119900000                    |

| Product Classification |                      |
|------------------------|----------------------|
| UNSPSC                 | 55121718             |
| eCl@ss 10.0            | 27-14-11-37          |
| eCl@ss 9.0             | 27-14-11-37          |
| ETIM 9.0               | EC000761             |
| ETIM 10.0              | EC000761             |
| ECCN                   | NO US CLASSIFICATION |


| Environmental Product Compliance |                        |
|----------------------------------|------------------------|
| RoHS Compliance Status           | Compliant,No Exemption |

Downloads

| Environmental Product Compliance          |  |
|-------------------------------------------|--|
| Compliance Search                         |  |
| Environmental Product Compliance 793-4958 |  |

Installation Notes

Application



Separating a strip from the WMB or WMB marker card.

Stretching a WMB marker strip.

Separating an individual marker from the WMB marker strip – for larger terminal blocks.

Snapping a marking strip into the marker slot.

Marking



Snapping a WMB marker strip into the marker slot of the double marker carrier.



Snapping a marking strip into the marker slot.