


Product End of Life Instructions

XB5 Illuminated Selector Switch



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be dismantled	1	Screw, Bracket, Bezel, Spring	18.51	Metal Parts
To be dismantled	2	Contact Cover, Housing, Key Mould	35.92	Plastic Parts
To be depolluted	3	Electronic Board (Communication)	0.5106	PCBA

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	This illuminated selector switch provides a versatile and highly visible interface for controlling your machines. It is easily installed into standard 22mm diameter cut-outs and connected to your control circuits with simple screw-clamp connections. It provides a clear help in setting your machines in various operating modes, even in darker control rooms, and with a clear visual feedback.
Product reference	XB5AK123B5
Additional similar product references	XB5AK123B5 XB5AK123M5 XB5AK125B5 XB5AK133M5 XB5AK124B5 XB5AK133B5 XB5AK124M5 XB5AK125M5 XB5AK134B5 XB5AK123G5 XB5AK135B5 XB5AK134M5 XB5AK135M5 XB5AK124G5 XB5AK125G5 XB5AK133G5 XB5AK134G5 XB5AK123M1N XB5AK123B1N XB5AK133M3N XB5AK124M2N XB5AK124B2N XB5AK133B3N XB5AK134M5N XB5AK153M3N XB5AK153B3N XB5AK125M1N XB5AK125B1N XB5AK134B5N XB5AK123B1 XB5AK154B5N XB5AK151B3N
Total representative product mass	55.31 g
Representative product dimensions	H41.5mm x L70mm x D30mm
Accessories	No accessories needed
Date of information release	02/2024



Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
In case of special transportation: transportation method	No specific means of transportation are required.	
Recyclability potential	33%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS
Country Customer Care Center
<http://www.schneider-electric.com/contact>
35, rue Joseph Monier
CS 30323
F- 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 928 298 512 €

www.se.com

ENVEOLI2308010_V1

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

02/2024