


# Concord

Lytebeam 3-circuit - Standard Track - 2m - White  
2037837



## Features

- Lytebeam 3 Circuit deep beam profile, direct and indirect channels, rear beam section may be used to carry other electrical services, extruded aluminium body, suitable for suspending, (LxWxH) 2000x42x94mm, 5.00kg, White RAL 9016, Class 1, maximum installed load: 3x3680W (11040W), fuse: 3x16A, supply cable: 5 x 1.5mm<sup>2</sup>, 400 VAC supply


## Product Overview

Product name	Lytebeam 3-circuit - Standard Track - 2m - White
Technology	Accessory
Housing	Aluminium
Mount	Suspended
Environment	Internal
Housing colour	White
Product EAN number	5025768378371
Warranty	5 years

# Concord

Lytebeam 3-circuit - Standard Track - 2m - White  
**2037837**

## Technical drawings



## Data table

### GENERAL DATA

Product name	Lytebeam 3-circuit - Standard Track - 2m - White
Technology	Accessory
Housing	Aluminium
Mount	Suspended
Environment	Internal
Warranty	5 years

### OPTICAL DATA

Adjustable chromaticity	N
-------------------------	---

### ELECTRICAL DATA

Control gear required	No
-----------------------	----

### PHYSICAL DATA

# Concord

## Lytebeam 3-circuit - Standard Track - 2m - White 2037837

---

Housing colour	White
Nominal Product Length (mm)	2000
Nominal Product Width (mm)	42
Weight (kg)	5.0

### PACKAGING

---

Single packaging type	Carton
Product EAN number	5025768378371
Packaging single width (cm)	10.0
Packaging single depth (cm)	5.0
Packaging outer length / height (cm)	205.0

### SAFETY DATA

---

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No