MEM Bath cascade spout without diverter for deck mounting - Chrome

MEM

13 630 740 Product version from 4/1/2025

- 235mm projection
- cascade
- height of mixer 100 mm
- height up to aerator 80 mm
- hole diameter 32 mm
- 1/2" connection
- max. flow 26.5 l/min at 3 bar flow pressure
- WRAS

Chrome	13 630 740-00
Brushed Platinum	13 630 740-06
Platinum	13 630 740-08
Dark Chrome	13 630 740-19
Brushed Light Gold (PVD)	13 630 740-27
Brushed Durabrass (23kt Gold)	13 630 740-28
Brushed Dark Brass (PVD)	13 630 740-39
Brushed Bronze (PVD)	13 630 740-42
Brushed Dark Bronze (PVD)	13 630 740-43
Brushed Champagne (22kt Gold)	13 630 740-46
Champagne (22kt Gold)	13 630 740-47
Brushed Dark Platinum	13 630 740-99

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com

MEM Bath cascade spout without diverter for deck mounting - Chrome

MEM

13 630 740 Product version from 4/1/2025

mm [inches]



Flow rate chart



Trajectory diagram



Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	ISO 3822
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	

Certificates and sustainability

WRAS_240502	IAPMO_4976	LGA_19	EPD-DOR-20230287-IBA1-EN Environmental.product-declarat

MEM Bath cascade spout without diverter for deck mounting - Chrome

13 630 740 Product version from 4/1/2025

Parts for other finishes can be found here: Brushed Platinum



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
9	09 23 10 023 90	Mounting Nut M8 -	2.00	14
8	09 23 01 057 90	Flow limiter red 26,5 l/min. -	1.00	14
7	09 30 11 045 90	Washer Ø 8,4 -	2.00	14
13	90 17 11 020 10 90	Distributor complete -	1.00	14
11	90 30 01 033 00 90	Connection Ø 28 x 126 mm -	1.00	14
3	09 31 11 044 90	Mounting Threaded pin with hexagon socket with cup point M4 x 5 mm -	1.00	14
1	90 29 03 059 00 90	Beam shaper 175 x 20 x 35 mm -	1.00	14
5	09 31 11 011 90	Mounting Threaded bolt M8 x 80 mm -	2.00	14
10	09 14 10 140 90	O-Ring 18,0 x 1,5 mm -	1.00	14
15	04 21 02 006 00 92	Cap with seal Screw connection 1/2" -	2.00	14
12	04 23 10 004 04 90	Mounting with seals Ø 45 mm, 3/4" -	1.00	14
4	09 14 10 008 90	O-Ring 10,0 x 2,0 mm -	2.00	14
6	09 24 04 246 20 90	Nipple Ø 24 x 7 mm -	1.00	14
2	09 11 74 040-00	Spout 180 x 100 x 265 mm - Chrome	1.00	20
14	90 23 10 012 00 90	Mounting Distributor, 1/2" + 3/4" -	1.00	14

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com