




### Features

- The Profile recess 20 2m SET consists of 2m anodised profile , F click diffuser , 2 end caps and 4 holders

### Product Overview

Product name	Profile recess 20 (30x20) 2m SET
Technology	Accessory
Housing	Aluminium
E-number FI	4278548
Photobiological Risk Group	Not applicable
Housing colour	Silver
IP rating	IP00
IK rating	IK00
Product EAN number	5410288215709
Warranty	3 years

### Technical drawings



### Data table

#### GENERAL DATA

Product name	Profile recess 20 (30x20) 2m SET
Technology	Accessory
Housing	Aluminium
Operating temperature range (°C)	25°C...+0°C
E-number FI	4278548
Warranty	3 years

#### OPTICAL DATA

Photobiological Risk Group	Not applicable
----------------------------	----------------

#### ELECTRICAL DATA

Control gear required	No
-----------------------	----

#### PHYSICAL DATA

## Profile recess 20 (30x20) 2m SET 0021570

Housing colour	Silver
IP rating	IP00
IK rating	IK00
Diffuser finish	Opal
Nominal Product Length (mm)	2000
Nominal Product Width (mm)	30
Weight (kg)	0.51

### PACKAGING

Single packaging type	Carton
Product EAN number	5410288215709
Packaging single width (cm)	1.9
Packaging single depth (cm)	1.9
DUN14 (outer)	15410288215706
Packaging outer length / height (cm)	210.0

### SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No