

Specifications

Photo is representative

Eaton BMM603-2S

Eaton Bussmann series BMM fuse blocks, 30 A, Two-pole, 20 lb-inches, Midget, CVRI-CCM, 200 kA, Screw, 200 kAIC, Panel, Flange, DIN rail, 600 V, #18-11 AWG Cu

General specifications

PRODUCT NAME	Eaton Bussmann series BMM fuse blocks
CATALOG NUMBER	BMM603-2S
UPC	051712694315
PRODUCT LENGTH/DEPTH	1.6 in
PRODUCT HEIGHT	3.7 in
PRODUCT WIDTH	1.6 in
PRODUCT WEIGHT	0.12 lb
WARRANTY	Not Applicable
COMPLIANCES	RoHS Compliant CE Marked
CERTIFICATIONS	UL Recognized CSA Certified
PRODUCT TYPE	Fuse Blocks



Powering Business Worldwide

Electrical rating

AMPERAGE RATING	30 A
IMPULSE WITHSTAND VOLTAGE	200 kA
SHORT-CIRCUIT RATING	200 kA
TORQUE RATING	20 lb-in
VOLTAGE RATING	600 V

General information

ACCESSORIES	CVR-CCM, CVRI-CCM
CONNECTION	Screw
MOUNTING METHOD	Panel Flange DIN rail

Physical details

FUSE TYPE	Midget
NUMBER OF POLES	Two-pole
OPERATING TEMPERATURE - MAX	120 °C
OPERATING TEMPERATURE - MIN	-20 °C
WIRE SIZE	#18-11 AWG Cu

Resources

CATALOGS	BMM603-2S-MIDGET FUSE BLOCK W/ SCREW - 2 POLE Bussmann series complete full line catalog no. 1007
CERTIFICATION REPORTS	Eaton Bussmann EU Declaration of conformity 93-68-EEC2308-B
MULTIMEDIA	Bussmann series Fuseology
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - BMM603-2S

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

