

Data Sheet | Item Number: 793-4660
WMB marking card; as card; MARKED; 510, 520 ... 600 (10 each); stretchable 4 - 4.2 mm; Vertical marking; snap-on type; white
<https://www.wago.com/793-4660>



Color: white

Similar to illustration

Technical data		
Suitable		for decade marking (with red printing)
Marking method		Thermal transfer
Marking		510, 520 ... 600
Marking (number)		10
Marking direction		Vertical marking
Marking color		red
Marking type		Numbers
Marking layout		Same numbers per strip
Delivery form		Marker card
Delivery form configuration		10 strips with 10 markers per card
Flammability class per UL94		V2

Physical data		
Marker/strip width		4 ... 4.2 mm
Marker width		4 mm

Mechanical data		
Smear resistance		EN 60998-1:2004



Material data		
Color	white	
UV resistance	EN 60068-2-5:2010 Procedure B	
Halogen-free	Yes	
Weight	7.2 g	
Fire load	0.214 MJ	

Commercial data		
Product Group	2 (Terminal Block Accessories)	
PU (SPU)	50 (5) pcs	
Packaging type	Box	
Country of origin	DE	
GTIN	4045454815356	
Customs tariff number	49119900000	

Product Classification		
UNSPSC		55121731
eCl@ss 10.0		27-14-11-37
eCl@ss 9.0		27-14-11-37
ETIM 9.0		EC000761
ETIM 10.0		EC000761
ECCN		NO US CLASSIFICATION

Environmental Product Compliance		
RoHS Compliance Status		Compliant,No Exemption

Downloads

Environmental Product Compliance


Compliance Search

Environmental Product Compliance 793-4660

↓

Installation Notes

Application



- Separating a strip from the WMB or WMB marker card.
- Stretching a WMB marker strip.
- Separating an individual marker from the WMB marker strip – for larger terminal blocks.
- Snapping a marking strip into the marker slot.

Marking



Snapping a WMB marker strip into the marker slot of the double marker carrier.



Snapping a marking strip into the marker slot.