



## Data Sheet | Item Number: 793-4501/000-023

WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type; green

<https://www.wago.com/793-4501/000-023>



Color: ■ green

Similar to illustration

Similar to illustration

### Custom Marking

These markers can also be conveniently customized using our WAGO Configurator Smart Designer. Simply click on the "Configure" button on the right, and label the markers as needed. Before ordering, you must register the configurator.

For re-orders, use the provided item number; this number can also be found in your software projects.

Have questions about the WAGO Configurator Smart Designer?  
Please email them to [smart.designer@wago.com](mailto:smart.designer@wago.com).

### Technical data

|                             |                                    |
|-----------------------------|------------------------------------|
| Marking method              | Plotting                           |
| Marking                     | plain                              |
| Delivery form               | Marker card                        |
| Delivery form configuration | 10 strips with 10 markers per card |
| Flammability class per UL94 | V2                                 |

### Physical data

|                    |              |
|--------------------|--------------|
| Marker/strip width | 4 ... 4.2 mm |
| Marker width       | 4 mm         |

### Mechanical data

|                  |                 |
|------------------|-----------------|
| Smear resistance | EN 60998-1:2004 |
|------------------|-----------------|

**Material data**

|               |                               |
|---------------|-------------------------------|
| Color         | green                         |
| UV resistance | EN 60068-2-5:2010 Procedure B |
| Halogen-free  | Yes                           |
| Weight        | 7.3 g                         |
| Fire load     | 0.219 MJ                      |

**Commercial data**

|                       |               |
|-----------------------|---------------|
| PU (SPU)              | 50 (5) pcs    |
| Packaging type        | Box           |
| Country of origin     | DE            |
| GTIN                  | 4045454001926 |
| Customs tariff number | 49119900000   |

**Product Classification**

|             |                      |
|-------------|----------------------|
| UNSPSC      | 55121731             |
| eCl@ss 10.0 | 27-14-11-37          |
| eCl@ss 9.0  | 27-14-11-37          |
| ETIM 9.0    | EC000761             |
| ETIM 10.0   | EC000761             |
| ECCN        | NO US CLASSIFICATION |

**Environmental Product Compliance**

|                        |                         |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

**Downloads**

**Environmental Product Compliance**

|                                  |  |  |                   |
|----------------------------------|--|--|-------------------|
| <b>Compliance Search</b>         |  |  |                   |
| Environmental Product Compliance |  |  | <a href="#">↓</a> |
| 793-4501/000-023                 |  |  |                   |

**Documentation**

|                  |            |                 |                   |
|------------------|------------|-----------------|-------------------|
| <b>Bid Text</b>  |            |                 |                   |
| 793-4501/000-023 | 19.02.2019 | xml<br>2.62 KB  | <a href="#">↓</a> |
| 793-4501/000-023 | 19.09.2017 | doc<br>23.50 KB | <a href="#">↓</a> |

## CAD/CAE-Data

### CAE data

EPLAN Data Portal  
793-4501/000-023



## Installation Notes

### Application



Separating a strip from the WMB or WMB marker card.



Stretching a WMB marker strip.



Separating an individual marker from the WMB marker strip – for larger terminal blocks.



Snapping a marking strip into the marker slot.

### Marking



Snapping a WMB marker strip into the marker slot of the double marker carrier.



Snapping a marking strip into the marker slot.