

27 815 625 Product version from 9/1/2025



- spray head Ø 100mm
- Three or five settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

**Technical data:**

- rosette Ø 55 mm
- 3/8" shower outlet

**Notes:**

- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Brushed Dark Bronze (PVD)	27 815 625-43 0010
	Chrome	27 815 625-00 0010
	Brushed Platinum	27 815 625-06 0010
	Dark Chrome	27 815 625-19 0010
	Light Gold (PVD)	27 815 625-26 0010
	Brushed Light Gold (PVD)	27 815 625-27 0010
	Brushed Durabrass (23kt Gold)	27 815 625-28 0010
	Matte Black	27 815 625-33 0010
	Brushed Gold (PVD)	27 815 625-37 0010
	Brushed Dark Brass (PVD)	27 815 625-39 0010
	Brushed Bronze (PVD)	27 815 625-42 0010
	Brushed Champagne (22kt Gold)	27 815 625-46 0010
	Champagne (22kt Gold)	27 815 625-47 0010
	Brushed Chrome	27 815 625-93 0010
	Brushed Dark Platinum	27 815 625-99 0010

**Recommended miscellaneous**



- Concealed wall elbow -**
- min. recess depth 90 mm
  - max. recess depth 163 mm

35 085 970 90


**Recommended miscellaneous**




- Wall elbow - Brushed Dark Bronze (PVD)**

28 450 625-43

27 815 625 Product version from 9/1/2025





### Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	5 90 14 10 032 00 90	O-Ring 18,1 x 1,6 mm -	1.00	14
	6 90 18 40 035 00 90	Sleeve -	1.00	14
	3 90 30 30 516 00 90	Attachment set -	1.00	14
	2 90 30 02 072 00-43	Metal shower hose 1/2" x 3/8" x 1250 mm - Brushed Dark Bronze (PVD)	1.00	40
	1 90 12 11 143 30-43	shower	1.00	-
Spare part can no longer be ordered, please order the replacement item				
	4 90 28 05 062 50-43	holder	1.00	-
Spare part can no longer be ordered, please order the replacement item				