




Features

- Elegant glass LED filament lamp with tunable white, offering adjustable lighting for the perfect ambiance anytime, anywhere. Same size as traditional lamps, hassle-free upgrade to Smart energy-efficient LED lighting. Customise lighting from warm cosy to bright daylight (2000-6500K) to fit any mood or activity. Works effortlessly with SylSmart Home App, SylRemote, Amazon Alexa, Google Assistant and Siri Shortcuts for seamless control and convenience. Adjustable brightness from 1% to 100% with wireless dimming function for perfect illumination. Transform your space with diverse pre-set scenes for the perfect ambiance. Sparkling light effect.

Product Overview

Product name	ToLEDo Retro GLS 806LM TW SST
Technology	LED
Cap/Base	E27
Fixture rating	Open
CRI (Ra)	80
Colour Variation Initial (SDCM)	6
Photobiological Risk Group	RG1
Wattage (W)	7
Power consumption (W)	7
IP rating	IP20
Product EAN number	5410288301020
Warranty	3 years
Useful luminous flux (#use)	806

Technical drawings



Data table

GENERAL DATA

Product name	ToLEDo Retro GLS 806LM TW SST
Technology	LED
Cap/Base	E27
Fixture rating	Open
Operating temperature range (°C)	-20°C...+40°C
Warranty	3 years

OPTICAL DATA

Useful luminous flux (#use)	806
Correlated colour temperature range (K)	2000 - 6500
CRI (Ra)	80
Colour Variation Initial (SDCM)	6
Photobiological Risk Group	RG1

ELECTRICAL DATA

ToLEDo Retro GLS 806LM TW SST 0030102

Power consumption (W)	7
Wattage (W)	7
Equivalent watt (W)	60
Current (A)	0.051
Primary Supply/Product voltage - min (V)	220
Control gear required	No
Inrush Current (A)	2.9
Inrush Duration (μ s)	735
Lamp Energy Label (class)	E
Nominal Frequency (Hz)	50/60Hz

LIFETIME DATA

Lifespan L70 B50	15000
------------------	-------

PHYSICAL DATA

IP rating	IP20
Nominal Product Length (mm)	108
Nominal Product Diameter (mm)	60
Weight (kg)	0.038

PACKAGING

Product EAN number	5410288301020
Packaging single width (cm)	6.6
Packaging single depth (cm)	12.0
DUN14 (outer)	15410288301027
Packaging outer length / height (cm)	20.6

SAFETY DATA

Optimal operating condition ($^{\circ}$ C)	-20-40
Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Dry applications use only	Yes
Suitable for household illumination	No

SYLVANIA


ToLEDo Retro GLS 806LM TW SST
0030102

Safety message

Not Suitable for totally enclosed fixtures

Energy label


 **ENERG** 
SYLVANIA
0030102



7
kWh/1000h



 **ENERG** 
SYLVANIA
0030102



7
kWh/1000h



Light your world