

Concord

MYRIAD IP65 4000K PHASE DIM WHITE 2049529



Features

- MYRIAD IP65 4000K PHASE DIM WHITE



Product Overview

Product name	MYRIAD IP65 4000K PHASE DIM WHITE
Technology	LED
Cap/Base	N/A
Mount	Ceiling recessed mounting
Environment	Interior
E-number SE	7462014
Fixture luminous flux (lm)	1050
Luminaire efficacy (lm/W)	105
LOR (%)	100
Colour temperature (K)	4000
Light colour	Neutral White
CRI (Ra)	90
Colour Variation Initial (SDCM)	3
Photobiological Risk Group	RG1
Total power consumption (W)	10
Electrical protection	Class II
Control gear type	LED driver constant current
Control gear mounting	Integral
IP rating	IP65/20
IK rating	IK02

Concord

MYRIAD IP65 4000K PHASE DIM WHITE 2049529


Product EAN number

5025768495290


Warranty

5 years

Photometry



Technical drawings



Data table

Concord

MYRIAD IP65 4000K PHASE DIM WHITE 2049529

GENERAL DATA

Product name	MYRIAD IP65 4000K PHASE DIM WHITE
Technology	LED
Cap/Base	N/A
Mount	Ceiling recessed mounting
Environment	Interior
E-number SE	7462014
Warranty	5 years

OPTICAL DATA

Fixture luminous flux (lm)	1050
Luminaire efficacy (lm/W)	105
LOR (%)	100
Colour temperature (K)	4000
Light colour	Neutral White
CRI (Ra)	90
Colour Variation Initial (SDCM)	3
Adjustable chromaticity	N
Photobiological Risk Group	RG1

ELECTRICAL DATA

Total power consumption (W)	10
Primary Supply/Product voltage - min (V)	220
Electrical protection	Class II
Control gear required	No
Control gear type	LED driver constant current
Control gear mounting	Integral
Drive current (mA)	250
Energy Efficiency Class (A->G) of contained light source	E
Nominal Frequency (Hz)	50/60Hz

LIFETIME DATA

Concord

MYRIAD IP65 4000K PHASE DIM WHITE 2049529

Lifespan L70 B50	100000
Lifespan L80 B20	100000
Lifespan L90 B10	68500

PHYSICAL DATA

IP rating	IP65/20
IK rating	IK02
Diffuser material	Glass
Nominal Product Diameter (mm)	76
Weight (kg)	0.39
Recessed Depth (mm)	72

PACKAGING

Single packaging type	Carton
Product EAN number	5025768495290
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
Packaging outer length / height (cm)	17.5

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No