


### Features

- Indulge in the allure of a vintage-inspired LED filament lamp, with gold-tinted glass construction and sleek spiral design for timeless charm and eco-friendly illumination. Creates a warm and inviting ambiance and adds a touch of classic elegance to your home. Works effortlessly with SylSmart Home App, SylRemote, Amazon Alexa, Google Assistant and Siri Shortcuts for seamless control and convenience. Set the brightness level from 1% to 100% with wireless dimming feature for the ideal lighting experience.

### Product Overview

|                                 |                                      |
|---------------------------------|--------------------------------------|
| Product name                    | ToLEDo Vintage G200 450LM GL 820 SST |
| Technology                      | LED                                  |
| Cap/Base                        | E27                                  |
| Fixture rating                  | Open                                 |
| Colour temperature (K)          | 2000                                 |
| CRI (Ra)                        | 80                                   |
| Colour Variation Initial (SDCM) | 6                                    |
| Photobiological Risk Group      | RG1                                  |
| Wattage (W)                     | 7.5                                  |
| Power consumption (W)           | 7.5                                  |
| IP rating                       | IP20                                 |
| Product EAN number              | 5410288301112                        |
| Warranty                        | 3 years                              |
| Useful luminous flux (#use)     | 450                                  |

### Technical drawings



### Data table

#### GENERAL DATA

|                                  |                                      |
|----------------------------------|--------------------------------------|
| Product name                     | ToLEDo Vintage G200 450LM GL 820 SST |
| Technology                       | LED                                  |
| Cap/Base                         | E27                                  |
| Fixture rating                   | Open                                 |
| Operating temperature range (°C) | -20°C...+40°C                        |
| Warranty                         | 3 years                              |

#### OPTICAL DATA

|                                 |      |
|---------------------------------|------|
| Useful luminous flux (#use)     | 450  |
| Colour temperature (K)          | 2000 |
| CRI (Ra)                        | 80   |
| Colour Variation Initial (SDCM) | 6    |
| Photobiological Risk Group      | RG1  |

#### ELECTRICAL DATA

## ToLEDo Vintage G200 450LM GL 820 SST 0030111

|  |         |
|--|---------|
| Power consumption (W)                    | 7.5     |
| Wattage (W)                              | 7.5     |
| Equivalent watt (W)                      | 40      |
| Current (A)                              | 0.055   |
| Primary Supply/Product voltage - min (V) | 220     |
| Control gear required                    | No      |
| Inrush Current (A)                       | 2.9     |
| Inrush Duration ( $\mu$ s)               | 730     |
| Lamp Energy Label (class)                | G       |
| Nominal Frequency (Hz)                   | 50/60Hz |

### LIFETIME DATA

|                  |       |
|------------------|-------|
| Lifespan L70 B50 | 15000 |
|------------------|-------|

### PHYSICAL DATA

|                               |       |
|-------------------------------|-------|
| IP rating                     | IP20  |
| Nominal Product Length (mm)   | 186   |
| Nominal Product Diameter (mm) | 200   |
| Weight (kg)                   | 0.331 |

### PACKAGING

|                                      |                |
|--------------------------------------|----------------|
| Product EAN number                   | 5410288301112  |
| Packaging single width (cm)          | 22.3           |
| Packaging single depth (cm)          | 31.8           |
| DUN14 (outer)                        | 15410288301119 |
| Packaging outer length / height (cm) | 46.7           |

### SAFETY DATA

|   |                |
|---|----------------|
| Optimal operating condition ( $^{\circ}$ C) | -20-40         |
| Breakage cleaning instructions              | Not applicable |
| Special purpose lamp                        | No             |
| Dry applications use only                   | Yes            |
| Suitable for household illumination         | No             |


# SYLVANIA

ToLEDo Vintage G200 450LM GL 820 SST  
0030111


Safety message

Not Suitable for totally enclosed fixtures

## Energy label



**8**  
kWh/1000h



**8**  
kWh/1000h



Light your world