



Features


-



Product Overview

Product name	ToLEDo PLATINUM T8 CCG L1200 2520LM 840 100K RL
Technology	LED
Cap/Base	G13
Colour temperature (K)	4000
CRI (Ra)	80
Colour Variation Initial (SDCM)	6
Photobiological Risk Group	RG0
Wattage (W)	12
Power consumption (W)	12
IP rating	IP20
Product EAN number	5410288302515
Warranty	5 years
Useful luminous flux (#use)	2520

Technical drawings



Data table

GENERAL DATA

Product name	ToLEDo PLATINUM T8 CCG L1200 2520LM 840 100K RL
Technology	LED
Cap/Base	G13
Operating temperature range (°C)	-20°C...+50°C
Warranty	5 years

OPTICAL DATA

Useful luminous flux (#use)	2520
Colour temperature (K)	4000
CRI (Ra)	80
Colour Variation Initial (SDCM)	6
Photobiological Risk Group	RG0

ELECTRICAL DATA

ToLEDo PLATINUM T8 CCG L1200 2520LM 840 100K RL 0030251

Power consumption (W)	12
Wattage (W)	12
Current (A)	0.06
Primary Supply/Product voltage - min (V)	220.0
Lamp power factor	0.9
Control gear required	No
Inrush Current (A)	3
Inrush Duration (μ s)	100
Lamp Energy Label (class)	A

LIFETIME DATA

Lifespan L70 B50	100000
------------------	--------

PHYSICAL DATA

IP rating	IP20
Nominal Product Length (mm)	1198
Nominal Product Diameter (mm)	28
Weight (kg)	0.183

PACKAGING

Product EAN number	5410288302515
Packaging single width (cm)	2.9
Packaging single depth (cm)	2.9
DUN14 (outer)	15410288302512
Packaging outer length / height (cm)	130.0

SAFETY DATA

Optimal operating condition ($^{\circ}$ C)	-20-50
Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No
Safety message	Suitable for totally enclosed fixture

SYLVANIA

ToLEDo PLATINUM T8 CCG L1200 2520LM 840 100K RL
0030251

Energy label



0030251



12
kWh/1000h



2019/2015



0030251



12
kWh/1000h



2019/2015

Light your world