



## Features


- 



## Product Overview

Product name	ToLEDo PLATINUM T8 CCG L1200 2300LM 865 100K RL
Technology	LED
Cap/Base	G13
Colour temperature (K)	6500
CRI (Ra)	80
Colour Variation Initial (SDCM)	6
Photobiological Risk Group	RG0
Wattage (W)	12
Power consumption (W)	17
IP rating	IP20
Product EAN number	5410288302522
Warranty	5 years
Useful luminous flux (#use)	2300

### Technical drawings



### Data table

#### GENERAL DATA

Product name	ToLEDo PLATINUM T8 CCG L1200 2300LM 865 100K RL
Technology	LED
Cap/Base	G13
Operating temperature range (°C)	-20°C...+45°C
Warranty	5 years

#### OPTICAL DATA

Useful luminous flux (#use)	2300
Colour temperature (K)	6500
CRI (Ra)	80
Colour Variation Initial (SDCM)	6
Photobiological Risk Group	RG0

#### ELECTRICAL DATA

## ToLEDo PLATINUM T8 CCG L1200 2300LM 865 100K RL 0030252

Power consumption (W)	17
Wattage (W)	12
Current (A)	0.06
Primary Supply/Product voltage - min (V)	220
Lamp power factor	0.9
Control gear required	No
Inrush Current (A)	3
Inrush Duration ( $\mu$ s)	100
Lamp Energy Label (class)	D

### LIFETIME DATA

Lifespan L70 B50	100000
------------------	--------

### PHYSICAL DATA

IP rating	IP20
Nominal Product Length (mm)	1198
Nominal Product Diameter (mm)	28
Weight (kg)	0.183

### PACKAGING

Product EAN number	5410288302522
Packaging single width (cm)	2.9
Packaging single depth (cm)	2.9
DUN14 (outer)	15410288302529
Packaging outer length / height (cm)	130.0

### SAFETY DATA

Optimal operating condition ( $^{\circ}$ C)	-20-45
Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No
Safety message	Suitable for totally enclosed fixture


# SYLVANIA

ToLEDo PLATINUM T8 CCG L1200 2300LM 865 100K RL  
0030252

## Energy label



0030252




**17**  
kWh/1000h



2019/2015



0030252



**17**  
kWh/1000h



2019/2015

Light your world