















TARA Wall-mounted basin mixer without pop-up waste - Brushed Durabronze (23kt Gold)

TARA

36 712 882 Product version from 4/1/2024



- 190mm projection
- circular, air-enriched flow
- hole diameter valve 35 mm
- hole diameter spout 35 mm
- rosette Ø 55 mm
- max. flow 7 l/min
- lead-free
- WRAS
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Brushed Durabronze (23kt Gold)	36 712 882-28
	Chrome	36 712 882-00
	Brushed Platinum	36 712 882-06
	Platinum	36 712 882-08
	Dark Chrome	36 712 882-19
	Matte Black	36 712 882-33
	Brushed Gold (PVD)	36 712 882-37
	Brushed Dark Brass (PVD)	36 712 882-39
	Brushed Bronze (PVD)	36 712 882-42
	Brushed Dark Bronze (PVD)	36 712 882-43
	Brushed Champagne (22kt Gold)	36 712 882-46
	Champagne (22kt Gold)	36 712 882-47
	Brushed Chrome	36 712 882-93
	Brushed Dark Platinum	36 712 882-99

Required miscellaneous




Concealed wall-mounted mixer variable positioning - 35 720 970 90
 •min. recess depth 85 mm
 •max. recess depth 145 mm

Required miscellaneous



Concealed wall-mounted mixer centred spout - 35 700 970 90
 •min. recess depth 85 mm
 •max. recess depth 145 mm

36 712 882 Product version from 4/1/2024
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	EN 200	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen	VA-Zeichen	XP P 41-280



TARA Wall-mounted basin mixer without pop-up waste - Brushed Durabross
(23kt Gold)

TARA

36 712 882 Product version from 4/1/2024

Certificates and sustainability


LGA_18

WRAS_2107

ETA_19

ACS_20 ACC LY

EPD-DOR-20230287
-IBA1-EN
Environmental.prod
uct-declarat



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
8	90 90 03 157 00 90	Head part clockwise closing 1/2" -	1.00	14
1	90 90 03 156 00 90	Head part anti-clockwise closing 1/2" -	1.00	14
5	09 27 22 503-28	Rosette DB logo Ø 55 x Ø 22 x 9 mm - Brushed Durabronz (23kt Gold)	1.00	40
4	90 14 10 026 00 90	O-Ring 20,5 x 3,5 mm -	1.00	14
7	90 23 01 019 00-28	Aerator M18x1-IG 7,0 l/min. - Brushed Durabronz (23kt Gold)	1.00	40
3	09 24 03 081 10 90	Extension 1/2" x 50 mm -	1.00	14
2	36 310 882-28	TARA Wall valve - Brushed Durabronz (23kt Gold)	2.00	-
Spare part can no longer be ordered, please order the replacement item				
6	04 28 22 090 10-28	Spout 190 mm - Brushed Durabronz (23kt Gold)	1.00	40