Data Sheet | Item Number: 231-669

Lockout caps; for covering unused clamping units; orange

https://www.wago.com/231-669





Color: ■ orange Similar to illustration

Mechanical data	
Suitable	for male and female connectors with CAGE CLAMP® connection

Material data	
Note (material data)	
	Information on material specifications can be found here
Color	orange
Material group	1
Insulation material	Polyamide (PA66)
Flammability class per UL94	VO
Fire load	0.001 MJ
Weight	0 g

Commercial data	
Product Group	3 (Multi Conn. System)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	500 (100) pcs
Packaging type	Box
Country of origin	DE
GTIN	4017332121156
Customs tariff number	39269097900

Data Sheet | Item Number: 231-669

https://www.wago.com/231-669



Environmental Product Compliance

RoHS Compliance Status Compliant, No Exemption

Approvals / Certificates

General approvals



DEKRA Certification B.V.

Approval Standard **Certificate Name** C22.2 1466354

Approvals for marine applications

Approval Standard Certificate Name 96/20035 (E5) IEC 61984 Lloyds Register

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 231-669



Documentation

Additional Information

Technical Section

03.04.2019

pdf 2010.85 KB



CAD/CAE-Data

CAD data

2D/3D Models 231-669



CAE data

ZUKEN Portal 231-669



Installation Notes

Installation



Covering unused clamping units in CAGE CLAMP®-equipped male and female connectors (e.g., when doubling the pin spacing to meet clearance and creepage distance requirements, or when a higher rated voltage is required). Lockout pins are not suitable for panel-mount, angled female connectors.



Page 3/3 Version 08.11.2023