

**Data Sheet | Item Number: 231-671**  
Insulation stop; 0.25 - 0.5 mm<sup>2</sup>; light gray

<https://www.wago.com/231-671>



Color: ■ light gray

Similar to illustration

### Physical data

Pin spacing 5/5.08 mm / 0.197/0.2 inches

### Mechanical data

Number of items per strip

5

Suitable

for male and female connectors with CAGE CLAMP® or Push-in CAGE CLAMP® connection

### Material data

Note (material data)

[Information on material specifications can be found here](https://www.wago.com/us/material-specifications)

Color light gray

Material group I

Insulation material Polyamide (PA66)

Flammability class per UL94 V0

Fire load 0.007 MJ

Weight 0.2 g

### Commercial data

Product Group 3 (Multi Conn. System)

eCl@ss 10.0 27-14-11-92

eCl@ss 9.0 27-14-11-92

ETIM 8.0 EC002848

ETIM 7.0 EC002848

PU (SPU) 200 (25) pcs

Packaging type Box

Country of origin DE

GTIN 4017332121170

Customs tariff number 39269097900

**Environmental Product Compliance**

RoHS Compliance Status Compliant, No Exemption

**Approvals / Certificates**

**General approvals**



Approval	Standard	Certificate Name
CSA DEKRA Certification B.V.	C22.2	1466354

**Approvals for marine applications**



Approval	Standard	Certificate Name
LR Lloyds Register	IEC 61984	96/20035 (E5)

**Downloads**

**Environmental Product Compliance**

**Compliance Search**

Environmental Product Compliance 231-671	<a href="#">↓</a>
--	-------------------

**Documentation**

**Additional Information**

Technical Section	03.04.2019	pdf 2010.85 KB	<a href="#">↓</a>
-------------------	------------	-------------------	-------------------

**Installation Notes**

