


Data Sheet | Item Number: 264-900

Mini-WSB marking card; as card; MARKED; 1, , 2, , 3, , 4, , 5, 47, , 48, , 49, , 50; not stretchable; Horizontal marking; snap-on type; white

<https://www.wago.com/264-900>



Color: ■ white

Technical data

Marking method	Thermal transfer
Marking	1, , 2, , 3, , 4, , 5, ; to 46, , 47, , 48, , 49, , 50, ;
Marking (number)	1
Marking direction	Horizontal marking
Marking color	black
Marking type	Numbers
Marking layout	Consecutive numbers per strip
Delivery form	Marker card
Delivery form configuration	10 strips with 10 markers per card
Flammability class per UL94	V0

Physical data

Height	152 mm / 5.984 inches
Width	56.8 mm / 2.236 inches
Depth	3.2 mm / 0.126 inches
Marker/strip width	5 mm
Marker width	5 mm

Mechanical data

Smear resistance	EN 60998-1:2004
------------------	-----------------

Material data	
Color	white
UV resistance	EN 60068-2-5:2010 Procedure B
Halogen-free	Yes
Weight	6.2 g
Fire load	0.185 MJ

Commercial data	
Product Group	9 (Std Chassis Mt Blocks)
PU (SPU)	5 (5) pcs
Packaging type	Bag
Country of origin	DE
GTIN	4066966080926
Customs tariff number	49119900000

Product Classification	
UNSPSC	55121706
eCl@ss 10.0	27-14-11-37
eCl@ss 9.0	27-14-11-37
ETIM 9.0	EC000761
ETIM 8.0	EC000761
ECCN	NO US CLASSIFICATION

Environmental Product Compliance	
RoHS Compliance Status	Compliant, No Exemption

Downloads

Environmental Product Compliance

Compliance Search	
Environmental Product Compliance 264-900	↓

Documentation

Bid Text			
264-900	19.02.2019	xml 2.75 KB	↓
264-900	19.09.2017	doc 23.50 KB	↓

Installation Notes

Marking



Marking via Mini-WSB Quick Marking System.