
4-pin ground carrier terminal block; for DIN-rail 35 x 15 and 35 x 7.5; green-yellow

https://www.wago.com/2022-1807/999-953





Color: green-yellow

Similar to illustration

#### Electrical data

Ratings per	IEC/EN 60947-7-2		
Overvoltage category	III	III	II
Pollution degree	3	2	2
Nominal voltage	-	-	-
Rated surge voltage	-	-	-
Rated current	-	-	-

Connection data	
Female plug slots	4
Total number of potentials	1
Number of levels	1

#### Physical data

,	
Width	5.2 mm / 0.205 inches
Height	106 mm / 4.173 inches
Depth from upper-edge of DIN-rail	32.5 mm / 1.28 inches

#### Mechanical data

Design	horizontal type
Mounting type	DIN-35 rail
Marking level	Center/side marking

### Data Sheet | Item Number: 2022-1807/999-953 https://www.wago.com/2022-1807/999-953



Material data	
Note (material data)	<a href="https://www.wago.com/us/material-specifications">Information on material</a>
	specifications can be found here
Color	green-yellow
Material group	1
Insulation material	Polyamide (PA66)
Flammability class per UL94	VO
Fire load	0 MJ
Weight	14.8 g

Environmental requirements	
Continuous operating temperature	-60 +105 °C

Commercial data	
ETIM 8.0	EC000901
ETIM 7.0	EC000901
PU (SPU)	50 pcs
Packaging type	Box
Country of origin	CN
GTIN	4055143927048
Customs tariff number	85366990990

Environmental Product Compliance	
RoHS Compliance Status	Compliant,No Exemption

#### Approvals / Certificates

#### General approvals







Approval	Standard	Certificate Name
CCA DEKRA Certification B.V.	C22.2 No. 158	2437422
KEMA/KEUR DEKRA Certification B.V.	EN 60947	71-116567
UL Underwriters Laboratories Inc.	UL 1059	E45172

#### Approvals for hazardous areas



Approval	Standard	Certificate Name
ATEX Physikalisch Technische Bundesanstalt	EN IEC 60079-0	PTB 13 ATEX 1004 U (II3 G Ex ec II C Gc)
CCC CNEX	GB/T 3836.3	2020312313000255 (Ex ec IIC Gc)
IECEx Physikalisch Technische Bundesanstalt	IEC 60079-0	IECEx PTB 13.0004U (Ex ec IIC Gc)

https://www.wago.com/2022-1807/999-953



# Downloads Environmental Product Compliance Compliance Search Environmental Product Compliance

## Documentation Additional Information Technical Section pdf 2240.62 KB

#### 1 Compatible Products

2022-1807/999-953

#### 1.1 System counterpart

#### 1.1.1 Female connector/socket



Item No.: 2022-102/999-953

1-conductor female connector; Push-in CAGE CLAMP®; 4 mm²; Pin spacing 5.2 mm; 2-pole; Centered locking levers; 4,00 mm²; gray

#### 1.2 Required Accessories

#### 1.2.1 End plate

#### 1.2.1.1 End plate





Item No.: 2022-1891 End plate; 1 mm thick; gray <u>Item No.: 2022-1892</u> End plate; 1 mm thick; orange

#### 1.3 Optional Accessories

#### 1.3.1 Coding

#### 1.3.1.1 Coding



Item No.: 2022-100

Carrier with 6 coding pins; for coding of female plugs; orange



#### 1.3.2 DIN-rail

#### 1.3.2.1 Mounting accessories



Item No.: 210-196

Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715; silver-colored



Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; copper-colored



Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715; silver-colored



Item No.: 210-114

Steel carrier rail;  $35 \times 15 \text{ mm}$ ; 1.5 mmthick; 2 m long; unslotted; similar to EN 60715; silver-colored



Item No.: 210-118

Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; silver-colored

#### Item No.: 210-115

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm; silver-colored

#### Item No.: 210-112

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm; silver-colored

#### Item No.: 210-113

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715; silver-colored

#### 1.3.3 Jumper

#### 1.3.3.1 Jumper

Item No.: 2002-400

gray



Continuous jumper; 2-way; insulated; light

Item No.: 2002-423/000-006

Continuous jumper; from 1 to 3; insulated;



Continuous jumper; from 1 to 3; insulated; light gray



Item No.: 2002-423/000-005 Continuous jumper; from 1 to 3; insulated;

Item No.: 2002-424/000-006

Continuous jumper; from 1 to 4; insulated; blue



Continuous jumper; from 1 to 4; insulated; light gray

Item No.: 2002-424/000-005

Item No.: 2002-423

Continuous jumper; from 1 to 4; insulated;



Item No.: 2002-406/020-000

Delta jumper; insulated; light gray



Item No.: 2002-410/000-005

Jumper; 10-way; insulated; red



Item No.: 2002-410/000-006 Jumper; 10-way; insulated; blue

Item No.: 2002-410

Jumper; 10-way; insulated; light gray

Item No.: 2002-402/000-006 Jumper; 2-way; insulated; blue



Item No.: 2002-402

Jumper; 2-way; insulated; light gray

Item No.: 2002-402/000-005 Jumper; 2-way; insulated; red

Item No.: 2002-404/000-006

Item No.: 2002-403/000-006

Jumper; 3-way; insulated; blue

Item No.: 2002-403

Jumper; 3-way; insulated; light gray








Item No.: 2002-403/000-005

Jumper; 3-way; insulated; red



Item No.: 2002-404 Jumper; 4-way; insulated; light gray

Item No.: 2002-404/000-005

Jumper; 4-way; insulated; red



Item No.: 2002-405/000-006

Jumper; 5-way; insulated; blue

Item No.: 2002-405

Jumper; 5-way; insulated; light gray





Item No.: 2002-406/000-006 Jumper; 6-way; insulated; blue



Jumper; 6-way; insulated; light gray




Jumper; 5-way; insulated; red

Item No.: 2002-405/000-005



Item No.: 2002-406



Item No.: 2002-407/000-006 Jumper; 7-way; insulated; blue Item No.: 2002-407

Jumper; 7-way; insulated; light gray



Item No.: 2002-407/000-005

Jumper; 7-way; insulated; red



Jumper; 8-way; insulated; blue


Item No.: 2002-409

Item No.: 2002-434

Item No.: 2002-408

Jumper; 8-way; insulated; light gray

Item No.: 2002-408/000-005



Item No.: 2002-409/000-006

Jumper; 9-way; insulated; blue

Jumper; 9-way; insulated; light gray

Item No.: 2002-409/000-005 Jumper; 9-way; insulated; red

Item No.: 2002-440 Jumper; from 1 to 10; insulated; light gray

Item No.: 2002-433

Jumper; from 1 to 3; insulated; light gray

Jumper; from 1 to 4; insulated; light gray

Item No.: 2002-435

Jumper; from 1 to 5; insulated; light gray

Item No.: 2002-436 Jumper; from 1 to 6; insulated; light gray



https://www.wago.com/2022-1807/999-953



#### 1.3.3.1 Jumper

Item No.: 2002-437

Y

Item No.: 2002-438

Jumper; from 1 to 8; insulated; light gray

Item No.: 2002-439

Jumper; from 1 to 9; insulated; light gray

Item No.: 2002-480

Staggered jumper; 10-way; insulated; light gray

.



Item No.: 2002-481

Staggered jumper; 11-way; insulated; light gray

Jumper; from 1 to 7; insulated; light gray

Item No.: 2002-482

Staggered jumper; 12-way; insulated; light gray

Item No.: 2002-473/011-000

Staggered jumper; 2-way; from 1 to 3; insulated; light gray

Item No.: 2002-472

Staggered jumper; 2-way; insulated; light

gray



Item No.: 2002-473

Staggered jumper; 3-way; insulated; light gray

Item No.: 2002-475/011-000

Staggered jumper; 3-way; insulated; light gray

Item No.: 2002-474

Staggered jumper; 4-way; insulated; light gray

Item No.: 2002-475

Staggered jumper; 5-way; insulated; light gray



<u>Item No.: 2002-476</u>

Staggered jumper; 6-way; insulated; light gray

Item No.: 2002-477

Staggered jumper; 7-way; insulated; light gray

Item No.: 2002-478

Staggered jumper; 8-way; insulated; light gray

Item No.: 2002-479

Staggered jumper; 9-way; insulated; light gray



Item No.: 2002-477/011-000

Staggered jumper; insulated; light gray

Item No.: 2002-479/011-000

Staggered jumper; insulated; light gray

Item No.: 2002-481/011-000

Staggered jumper; insulated; light gray

Item No.: 2002-405/011-000

Star point jumper; 3-way; insulated; light gray

#### 1.3.4 Marking

#### 1.3.4.1 Group marker carrier



Item No.: 2009-192
Group marker carrier; gray

Ī

Item No.: 2009-193

Item No.: 793-5501

Group marker carrier; gray

#### 1.3.4.2 Marker

Item No.: 2009-191

Group marker carrier; gray



Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white Item No.: 248-501

Mini-WSB marking card; as card; not stretchable; plain; snap-on type; white

MIMITIN

Item No.: 2009-115

8

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 -5.2 mm; plain; snap-on type; white WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white

#### 1.3.4.3 Marker carrier



Item No.: 2002-161

Adaptor; gray

E

Item No.: 2009-198

Adaptor; gray

#### 1.3.4.4 Marking strip



Item No.: 2009-110

Marking strips; for Smart Printer; on reel; not stretchable; plain; snap-on type; white

https://www.wago.com/2022-1807/999-953



#### 1.3.5 Push-in type wire jumper

#### 1.3.5.1 Jumper



Item No.: 2009-414

Push-in type wire jumper; 1.5 mm<sup>2</sup>; insulated; 110 mm long; black



Item No.: 2009-414/000-005

Push-in type wire jumper; 1.5 mm²; insulated; 110 mm long; black



Item No.: 2009-416

Push-in type wire jumper; 1.5 mm²; insulated; 250 mm long; black



Item No.: 2009-414/000-006

Push-in type wire jumper; insulated; 110 mm long; black

#### Item No.: 2009-412

Push-in type wire jumper; insulated; 60 mm long; black

#### 1.3.6 Screwless end stop

#### 1.3.6.1 Mounting accessories



Item No.: 249-117

Screwless end stop; 10 mm wide; for DIN-rail  $35 \times 15$  and  $35 \times 7.5$ ; gray



Item No.: 249-116

Screwless end stop; 6 mm wide; for DIN-rail 35 x 15 and 35 x 7.5; gray

#### 1.3.7 Tool

#### 1.3.7.1 Operating tool



#### Item No.: 210-720

Operating tool; Blade: 3.5 x 0.5 mm; with a partially insulated shaft; multicoloured

#### Installation Notes


#### Installation



Snap individual carrier terminal blocks onto the DIN-rail and slide together.



Open the assembly by laterally sliding a block via operating tool (3.5  $\times$  0.5 mm blade).



Separate terminal block assembly and slide individual terminal blocks laterally using an operating tool.

#### Commoning



Commoning X-COM®S-SYSTEM Terminal Blocks using jumpers for TOPJOB® S Terminal Blocks. An end plate provides connection to TOPJOB® S Terminal Blocks. 2020 and 2022 Series Terminal Blocks are combinable. Jumper slots are on the same level for both series.



Pairing push-in comb style jumpers.



Commoning with push-in type wire jumper.

https://www.wago.com/2022-1807/999-953




#### Testing



Test plug adapter (2009-174) for 4 mm test plugs or banana plugs – also suitable for X-COM®S-SYSTEM-MINI Terminal

#### Coding



Insert coding pin into the corresponding slot and twist it off.



Coding a female plug: remove coding finger using a suitable tool.



Insert a coding pin (2022-100) into the corresponding location of the carrier terminal block.

#### Marking



Clear marking via large marking area



Group marking with height-adjustable group marker carrier (2009-163)

#### Security



Carrier terminal blocks and female plugs are touch-proof.

Subject to changes. Please also observe the further product documentation!