



UK DECLARATION OF CONFORMITY

(Original Language)


We: Manufacturer

Schneider Electric Automation GmbH
 (Subsidiary of Schneider Electric Industries SAS
 FR-93500 Rueil Malmaison)
 Schneiderplatz 1
 97828 Marktheidenfeld - Germany

Authorized Representative:

Schneider Electric Limited
 Stafford Park 5
 Telford, TF3 3 BL – United Kingdom

hereby declare that this declaration of conformity is issued under our sole responsibility and that the product(s):

Trademark	Schneider Electric 
Product, Type, Function	Modicon XPS Modular Safety Controller
Models	See next pages

is/are in conformity with the requirements of the following regulation and conformity was checked in accordance with the following standards.

Regulation	Designated Standard
The Electromagnetic Compatibility Regulations SI 2016 No. 1091	BS EN 61131-2:2007
The Supply of Machinery (Safety) Regulations SI 2008 No. 1597	BS EN 62061:2005 + A1:2013 + A2:2015 BS EN ISO 13849-1:2015 BS EN 61496-1:2013

Subject to correct installation, maintenance and use conforming to its intended purpose, to the applicable regulations and standards, to the supplier's instructions and to accepted rules of the art. This declaration becomes invalid in the case of any modification to the products not authorized by the manufacturer.

Name and address of the person authorised to compile the technical file:

Alexander Wolf, Schneider Electric Automation GmbH, Schneiderplatz 1, 97828 Marktheidenfeld - Germany

Issued at Telford - United Kingdom, July 5th, 2021

Signature

DocuSigned by:

David Williams

701E992E95194EC...

Name: David WILLIAMS
 VP Marketing UK&I
 Zone UK & Ireland
 (Authorized Representative)



UK DECLARATION OF CONFORMITY

(Original Language)

List of Models:

Model	Description
XPSMCMCO0000S1	Safe communications exp. 2 w screw term
XPSMCMCO0000S1G	Safe communications exp. 2 w spring term
XPSMCMCO0000S2	Safe communications exp. 1 w screw term
XPSMCMCO0000S2G	Safe communications exp. 1 w spring term
XPSMCMCP0802	Controller 8 input 2 output screw term
XPSMCMCP0802BC	Controller 8 input 2 output screw term with Backplane connector
XPSMCMCP0802BCG	Controller 8 input 2 output spring term with Backplane connector
XPSMCMCP0802G	Controller 8 input 2 output spring term
XPSMCMDI0800	8 Input expansion screw term
XPSMCMDI0800G	8 Input expansion spring term
XPSMCMDI1200MT	12 input exp. for safety mat screw term
XPSMCMDI1200MTG	12 input exp. for safety mat spring term
XPSMCMDI1600	16 Input expansion screw term
XPSMCMDI1600G	16 Input expansion spring term
XPSMCMDO0002	2 DO pairs expansion screw term
XPSMCMDO0002G	2 DO pairs expansion spring term
XPSMCMDO0004	4 DO pairs expansion screw term
XPSMCMDO0004G	4 DO pairs expansion spring term
XPSMCMEN0100HT	Speed mon. 1 HTL exp. screw term
XPSMCMEN0100HTG	Speed mon. 1 HTL exp. spring term
XPSMCMEN0100SC	Speed mon. 1 Sin/Cos exp. screw term
XPSMCMEN0100SCG	Speed mon. 1 Sin/Cos exp. spring term
XPSMCMEN0100TT	Speed mon. 1 TTL exp. screw term
XPSMCMEN0100TTG	Speed mon. 1 TTL exp. spring term
XPSMCMEN0200	Speed mon. 2 Prox. exp. screw term
XPSMCMEN0200G	Speed mon. 2 Prox. exp. spring term
XPSMCMEN0200HT	Speed mon. 2 HTL exp. screw term
XPSMCMEN0200HTG	Speed mon. 2 HTL exp. spring term
XPSMCMEN0200SC	Speed mon. 2 Sin/Cos exp. screw term
XPSMCMEN0200SCG	Speed mon. 2 Sin/Cos exp. spring term
XPSMCMEN0200TT	Speed mon. 2 TTL exp. screw term
XPSMCMEN0200TTG	Speed mon. 2 TTL exp. spring term
XPSMCMER0002	2 safety relay outputs exp. screw term
XPSMCMER0002G	2 safety relay outputs exp. spring term
XPSMCMER0004	4 safety relay outputs exp. screw term
XPSMCMER0004G	4 safety relay outputs exp. spring term
XPSMCMME0000	Memory card
XPSMCMMX0802	8 inputs 2 outputs exp. screw term
XPSMCMMX0802G	8 inputs 2 outputs exp. spring term
XPSMCMRO0004	4 safety relay outputs exp. screw term
XPSMCMRO0004DA	4 safety relay outputs exp. screw term
XPSMCMRO0004DAG	4 safety relay outputs exp. spring term
XPSMCMRO0004G	4 safety relay outputs exp. spring term
XPSMCMIAI0400	Analog Input 4 channel 0...24 mA screw term
XPSMCMIAI0400G	Analog Input 4 channel 0...24 mA spring term
XPSMCMC10804	4 single channel safety outputs. 32 safety 48 status outputs screw term
XPSMCMC10804B	4 single channel safety outputs. 32 safety 48 status outputs screw term
XPSMCMC10804BG	4 single channel safety outputs. 32 safety 48 status outputs spring term
XPSMCMC10804G	4 single channel safety outputs. 32 safety 48 status outputs spring term
XPSMCMDO00042A	4 single channel 2A(Σ I=8A) solid state outputs screw term
XPSMCMDO00042AG	4 single channel 2A(Σ I=8A) solid state outputs spring term
XPSMCMDO0008C1	8 outputs for Cat. 1, PL c, SIL 1 screw term



UK DECLARATION OF CONFORMITY

(Original Language)

XPSMCMDO0008C1G	8 outputs for Cat. 1, PL c, SIL 1 spring term
XPSMCMDO0016C1	16 outputs for Cat. 1, PL c, SIL 1 screw term
XPSMCMDO0016C1G	16 outputs for Cat. 1, PL c, SIL 1 spring term
XPSMCMMX0804	Mixed Module 8 inputs 4 outputs screw term
XPSMCMMX0804G	Mixed Module 8 inputs 4 outputs spring term
XPSMCMDO0004S	Mixed Module 4 outputs screw term
XPSMCMDO0004SG	Mixed Module 4 outputs spring term