OVE AUSTRIAN ELECTROTECHNICAL ASSOCIATION

Eschenbachgasse 9, 1010 Wien, Austria ZVR: 327279890 | DVR: 1055887

OVE - Testing & Certification

Kahlenberger Str. 2A, 1190 Wien, Austria

Phone: +43 1 370 58 06

www.ove.at



Page 1 of 5

ÖVE-CERTIFICATE

including the entitlement to use the Austrian Safety Mark



Certificate No.:

9460-012-07

Valid from: 2016 04 03

until: 2018 04 03

The Austrian Electrotechnical Association (OVE) hereby grants the right to the company mentioned below to label the listed products with the Austrian Safety Mark.

Company:

NIKO N.V.

Industriepark-West 40 9100 Sint-Niklaas

Belaium

Product:

Switches for household and similar fixed installations

The products submitted by the applicant were type tested in accordance with the requirements of the technical standards and specifications listed in this certificate. OVE certifies the conformity of the listed products and those products manufactured strictly identical to the submitted ones (ISO/IEC 17067, Conformity Assessment Scheme Type 5).

The manufacturing process and the products are subject to ongoing surveillance based on harmonized European procedures. This certificate has been issued under the presumption and conditional on the fact that the applicant holds all necessary legal rights with regard to the product, presented for the testing and certification.

Results of testing are shown in file No(s).: 3134, 3095, 2585, 2417-1476/08-N3

Österreichischer Verband für Elektrotechnik Head of Testing & Certification

Digitally signed by W. Martin

Email=w.martin@ove.at

Dipl.-Ing. W. Martin

OVE - Testing & Certification

Vienna, 2016 03 30

Accredited by the Federal Ministry of Science, Research and Economy as Certification Body for products within the scope as given in the official decree and published under www.en.bmwfw.gv.at/accreditation







Page 2 of 5

Manufacturer:

NIKO N.V. Industriepark-West 40 9100 Sint-Niklaas Belgium

Factory location(s):

NIKO N.V. Industriepark-West 40 9100 Sint-Niklaas Belgium

Tested and certified according to:

ÖVE/ÖNORM EN 60669-1:2010-01-01

This certificate is the basis for the EC Declaration of Conformity and the CE Marking by the manufacturer or his agent and shows the conformity with the listed standards as defined by the **EC Low-Voltage Directive**.

Product: Switches for household and similar fixed installations

Type designation: Rating:	Trademark:
170-711**r+***-61105 Rated voltage: AC 250 V Rated power: 10 AX Frame 71 Pattern 1 + single actuating member	NIKO
170-700**r+***-61105 Rated voltage: AC 250 V Rated power: 10 A Frame 71 Pattern 1 push-button + single actuating member	NIKO

NIKO

170-716r+***-61105** Rated voltage: AC 250 V

Rated power: 10 AX

Frame 71

Pattern 6 + single actuating member





Page 3 of 5

170-730**r+***-61105 NIKO

Rated voltage: AC 250 V Rated power: 10 A

Frame 71

Pattern 6 push-button + single actuating member

170-715**r+***-61505 NIKO

Rated voltage: AC 250 V Rated power: 10 AX

Frame 71

Pattern 5 + double actuating member

170-712**r+***-61105 NIKO

Rated voltage: AC 250 V Rated power: 10 AX

Frame 71

Pattern 2 + single actuating member

170-722**r+***-61105 NIKO

Rated voltage: AC 250 V Rated power: 10 AX

Frame 71

Pattern 6/2 + double actuating member

170-726**r+***-61505 NIKO

Rated voltage: AC 250 V Rated power: 10 AX

Frame 71

Pattern 6+6 + double actuating member

170-750**r+***-61505 NIKO

Rated voltage: AC 250 V Rated power: 10 A

Frame 71

Pattern 6 push-button + 6 push-button + double actuating member

170-717**r+***-61105 NIKO

Rated voltage: AC 250 V Rated power: 10 AX

Frame 71

Pattern 7 + single actuating member

170-759**r+***-65905 NIKO

Rated voltage: AC 250 V Rated power: 10 AX

Frame 71

Pattern 4 + double actuating member

170-859**r+***-65914 NIKO

Rated voltage: AC 250 V Rated power: 10 A

Frame 71

Pattern 4 2x push-button + double actuating member

OVE - Testing & Certification

Accredited by the Federal Ministry of Science, Research and Economy as Certification Body for products within the scope as given in the official decree and published under www.en.bmwfw.gv.at/accreditation





Page 4 of 5

170-959**r+***-65918 NIKO

Rated voltage: AC 250 V Rated power: 10 A

Frame 71

Pattern 4 2x push-button (for electronic controls) + double actuating member

170-756**r+***-61505 NIKO

Rated voltage: AC 250 V Rated power: 10 A

Frame 71

Pattern 6 push-button + 6 + double actuating member

170-771**r+***-60005 NIKO

Rated voltage: AC 250 V Rated power: 10 AX

Frame 71

Pattern 1 (control) + single actuating member

170-776**r+***-60005 NIKO

Rated voltage: AC 250 V Rated power: 10 AX

Frame 71

Pattern 6 (control) + single actuating member

170-712**r+***-63*06 NIKO

Rated voltage: AC 250 V Rated power: 10 AX

Frame 71

Pattern 2 + pull-cord operating mechanism

170-716**r+***-63*06 NIKO

Rated voltage: AC 250 V Rated power: 10 AX

Frame 71

Pattern 6 + pull-cord operating mechanism

170-717**r+***-63*06 NIKO

Rated voltage: AC 250 V Rated power: 10 AX

Frame 71

Pattern 7 + pull-cord operating mechanism

170-730**r+***-63*06 NIKO

Rated voltage: AC 250 V Rated power: 10 A

Frame 71

Pattern 6 push-button + pull-cord operating mechanism

170-700**r+***-61901 NIKO

Rated voltage: AC 250 V Rated power: 10 A

Frame 71

Pattern 1 push-button + hotel card actuating member

OVE - Testing & Certification

Accredited by the Federal Ministry of Science, Research and Economy as Certification Body for products within the scope as given in the official decree and published under www.en.bmwfw.gv.at/accreditation





Page 5 of 5

170-730**r+***-63901 NIKO

Rated voltage: AC 250 V Rated power: 10 A

Frame 71

Pattern 6 push-button + hotel card actuating member

170-716**r(16A)+***-61105 NIKO

Rated voltage: AC 250 V Rated power: 16 AX

Frame 71

Pattern 6 16A + single actuating member

170-713**r+***-61105 NIKO

Rated voltage: AC 250 V Rated power: 16 AX

Frame 71

Pattern 2 16A + single actuating member

170-713**r+***-63*06 NIKO

Rated voltage: AC 250 V Rated power: 16 AX

Frame 71

Pattern 2 16A + pull-cord operating mechanism

170-716**r(16A)+***-63*06 NIKO

Rated voltage: AC 250 V Rated power: 16 AX

Frame 71

Pattern 6 16A + pull-cord operating mechanism

Series A, B, C, D NIKO

Single, double, triple or quadruple cover plate

In different colors and materials

Series E NIKO

Single, double, triple, quadruple or quintuple cover plate

In different colors and materials

Series F NIKO

Single or double cover plate In different colors and materials

Series G NIKO

Single, double or triple cover plate In different colors and materials

