



Color: ■ silver-colored

Technical data

Suitable	for push-button frame (210-853)
Marking method	Thermal transfer
Marking	plain
Delivery form	Roll
Delivery form configuration	350 markers/reel; 1 line
Printing device	Smart Printer (thermal transfer printer)

Physical data

Height	27 mm
Width	19 mm
Depth	0.65 mm
Marking surface	27 x 19 mm

Mechanical data

Mounting type	Sticking
Smear resistance	in conjunction with 258-5005 Ink Ribbon

Material data

Color	silver-colored
Material	Polyester
UV resistance	EN 60068-2-5:2010 Procedure B
Adhesive information	Acrylic; permanent; foamed
Halogen-free	Yes
Weight	150 g
Fire load	0 MJ

Environmental requirements

Ambient temperature (storage)	≥+22 °C
Ambient temperature (operation)	-30 ... +130 °C
Relative humidity	40 ... 50 %

Commercial data

Product Group	2 (Terminal Block Accessories)
PU (SPU)	1 pcs
Packaging type	Box
Country of origin	DE
GTIN	4050821674924
Customs tariff number	39199080888

Product Classification

UNSPSC	55121718
eCl@ss 10.0	27-40-06-29
eCl@ss 9.0	27-40-06-29
ETIM 9.0	EC001288
ETIM 10.0	EC001288
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 210-852	↓
--	-------------------

Documentation

Operating Instructions

210-852 Information on handling print material	1	28.08.2020	pdf	1004.72 KB	↓
--	---	------------	-----	------------	-------------------

1 Compatible Products

1.1 Required Accessories

1.1.1 Marking

1.1.1.1 Frame



Item No.: 210-853

Universal push-button border; halogen-free; black