



Color: ■ silver-colored

Similar to illustration

Technical data

Suitable	for Eaton's push-button frame
Marking method	Thermal transfer
Marking	plain
Delivery form	Roll
Delivery form configuration	1000 markers/reel; 1 line
Printing device	Smart Printer (thermal transfer printer)

Physical data

Height	26.5 mm
Width	18 mm
Depth	0.23 mm
Marking surface	26.5 x 18 mm

Mechanical data

Mounting type	Securing with cover (210-851)
Smear resistance	in conjunction with 258-5005 Ink Ribbon

Material data

Color	silver-colored
Material	Polyester
UV resistance	EN 60068-2-5:2010 Procedure B
Adhesive information	Light adhesive rubber coating (without adhesive)
Halogen-free	Yes
Weight	188 g
Fire load	0 MJ

Environmental requirements

Ambient temperature (storage)	≥+22 °C
Ambient temperature (operation)	-30 ... +130 °C
Relative humidity	40 ... 50 %

Commercial data

Product Group	2 (Terminal Block Accessories)
PU (SPU)	1 pcs
Packaging type	Box
Country of origin	DE
GTIN	4050821674900
Customs tariff number	39191080888

Product Classification

UNSPSC	55121612
eCl@ss 10.0	27-40-06-29
eCl@ss 9.0	27-40-06-29
ETIM 9.0	EC001288
ETIM 10.0	EC001288
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product
Compliance 210-850



Documentation

Operating Instructions

210-852 Information on
handling print material 1 28.08.2020 pdf
1004.72 KB



1 Compatible Products

1.1 System counterpart

1.1.1 Cover



[Item No.: 210-851](#)

Cover; For push-button label (210-850)
mounting; halogen-free; transparent

1.2 Required Accessories

1.2.1 Marking

1.2.1.1 Cover



[Item No.: 210-851](#)

Cover; For push-button label (210-850)
mounting; halogen-free; transparent