

## Beacon LED Projector - Iris

Beacon LED Iris Projector O/B 4000K Three Circuit Track - White  
2055970



### PRODUCT OVERVIEW

Product name	Beacon LED Iris Projector O/B 4000K Three Circuit Track - White
Technology	LED
Cap/Base	N/A
Housing	Aluminium
Mount	Track mounting
Fixture rating	Enclosed
E-number FI	4260896
Warranty	5 years
Fixture luminous flux (lm)	474
Luminaire efficacy (lm/W)	14
LOR (%)	100
Colour temperature (K)	4000
Light colour	Neutral White
CRI (Ra)	97
Colour Variation Initial (SDCM)	SDCM3
Photobiological Risk Group	RG1
Total power consumption (W)	35
Electrical protection	Class II
Control gear type	Electronic ballast
Control gear mounting	Integral
Housing colour	RAL 9016 - Traffic white / Bezel
IP rating	IP20
IK rating	IK02
Product EAN number	5025768559701

### DATA TABLE

#### General data

Product name	Beacon LED Iris Projector O/B 4000K Three Circuit Track - White
Technology	LED
Cap/Base	N/A
Housing	Aluminium

## Beacon LED Projector - Iris

*Beacon LED Iris Projector O/B 4000K Three Circuit Track - White*  
2055970

Mount	Track mounting
Fixture rating	Enclosed
Performance ambient temperature Tq (°C)	25
E-number FI	4260896
Warranty	5 years

### Optical data

Fixture luminous flux (lm)	474
Luminaire efficacy (lm/W)	14
LOR (%)	100
Colour temperature (K)	4000
Light colour	Neutral White
CRI (Ra)	97
Colour Variation Initial (SDCM)	SDCM3
Photobiological Risk Group	RG1

### Electrical data

Total power consumption (W)	35
Primary Supply/Product voltage - min (V)	230
Lamp power factor	0.95
Electrical protection	Class II
Control gear type	Electronic ballast
Control gear mounting	Integral
Drive current (mA)	900
Inrush Current (A)	5
Inrush Duration (µs)	50
Energy Efficiency Class (A->G) of contained light source	F
Nominal Frequency (Hz)	50/60Hz
Max. products per 10A C Breaker	52

### Lifetime data

Lifespan L70 B50	100000
Lifespan L80 B20	89000
Lifespan L90 B10	33000

### Physical data

Housing colour	RAL 9016 - Traffic white / Bezel
IP rating	IP20
IK rating	IK02
Nominal Product Width (mm)	185
Weight (kg)	1.365

### Packaging


Single packaging type	Carton
Product EAN number	5025768559701
Packaging single width (cm)	15.5
Packaging single depth (cm)	13.0

## Beacon LED Projector - Iris

Beacon LED Iris Projector O/B 4000K Three Circuit Track - White  
2055970

DUN14 (outer)	05025768559701
Packaging outer length / height (cm)	32.0

### PHOTOMETRY



### TECHNICAL DRAWINGS

