



Color: ■ gray

### Physical data

Width	1.7 mm / 0.067 inches
Height	27 mm / 1.063 inches
Depth	33.4 mm / 1.315 inches

### Mechanical data

Mounting type	snap-on type
---------------	--------------

### Material data

Note (material data)	<a href="#">Information on material specifications can be found here</a>
Color	gray
Material group	I
Insulation material (main housing)	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.035 MJ
Weight	1.2 g

### Commercial data

Product Group	4 (Printed Circuit Connectors)
PU (SPU)	500 (100) pcs
Packaging type	Box
Country of origin	CH
GTIN	4017332763677
Customs tariff number	85389099990

**Product Classification**

UNSPSC	39121702
eCl@ss 10.0	27-44-04-92
eCl@ss 9.0	27-44-04-92
ETIM 9.0	EC000886
ETIM 10.0	EC000886
ECCN	NO US CLASSIFICATION

**Environmental Product Compliance**

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

**Approvals / Certificates**

**General approvals**



Approval	Standard	Certificate Name
CSA DEKRA Certification B.V.	C22.2 No. 158	1604421

**Downloads**

**Environmental Product Compliance**

**Compliance Search**

Environmental Product Compliance 745-500	<a href="#">↓</a>
--	-------------------

**Documentation**

**Additional Information**

Technical Section	03.04.2019	pdf 2027.26 KB	<a href="#">↓</a>
-------------------	------------	-------------------	-------------------

**CAD/CAE-Data**

**CAD data**

2D/3D Models 745-500	<a href="#">↓</a>
----------------------	-------------------

**CAE data**

EPLAN Data Portal 745-500	<a href="#">↓</a>
ZUKEN Portal 745-500	<a href="#">↓</a>

PCB Design

Symbol and Footprint  
via SamacSys 745-500



Symbol and Footprint  
via Ultra Librarian  
745-500

