


Myriad Adjustable Round - Black with Silver bezel

MYRIAD ADJ ROUND BLACK 4000K PHDIM SILVER BZ
2056222



PRODUCT OVERVIEW

Product name	MYRIAD ADJ ROUND BLACK 4000K PHDIM SILVER BZ
Technology	LED
Cap/Base	N/A
Housing	PC Polycarbonate
Mount	Ceiling recessed mounting
Environment	Indoor
E-number FI	4278805
Warranty	5 years
Fixture luminous flux (lm)	684
Luminaire efficacy (lm/W)	68
LOR (%)	100
Colour temperature (K)	4000
Light colour	Neutral White
CRI (Ra)	90
Colour Variation Initial (SDCM)	SDCM3
Photobiological Risk Group	RG1
Total power consumption (W)	10
Electrical protection	Class II
Control gear mounting	Integral
Housing colour	Black
IP rating	IP20
IK rating	IK02
Product EAN number	5025768562220

DATA TABLE

General data

Product name	MYRIAD ADJ ROUND BLACK 4000K PHDIM SILVER BZ
Technology	LED
Cap/Base	N/A
Housing	PC Polycarbonate
Mount	Ceiling recessed mounting

Myriad Adjustable Round - Black with Silver bezel

MYRIAD ADJ ROUND BLACK 4000K PHDIM SILVER BZ
2056222

Environment	Indoor
Performance ambient temperature Tq (°C)	25
E-number FI	4278805
Warranty	5 years

Optical data

Fixture luminous flux (lm)	684
Luminaire efficacy (lm/W)	68
LOR (%)	100
Colour temperature (K)	4000
Light colour	Neutral White
CRI (Ra)	90
Colour Variation Initial (SDCM)	SDCM3
Adjustable chromaticity	N
Photobiological Risk Group	RG1

Electrical data

Total power consumption (W)	10
Primary Supply/Product voltage - min (V)	230
Electrical protection	Class II
Control gear mounting	Integral
Drive current (mA)	250
Energy Efficiency Class (A->G) of contained light source	E
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lifespan L70 B50	100000
Lifespan L80 B20	100000
Lifespan L90 B10	68500

Physical data

Housing colour	Black
IP rating	IP20
IK rating	IK02
Nominal Product Width (mm)	76
Max. Lamp Diameter (mm) - D	90
Weight (kg)	0.38
Recessed Depth (mm)	115

Packaging

Single packaging type	Carton
Product EAN number	5025768562220
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
DUN14 (outer)	05025768562220
Packaging outer length / height (cm)	17.5


Myriad Adjustable Round - Black with Silver bezel MYRIAD ADJ ROUND BLACK 4000K PHDIM SILVER BZ 2056222

PHOTOMETRY

0.5	0.23	E(0°) E(10°) E(15°) E(20°) E(25°)	12238 5701
1.0	0.46	E(0°) E(10°) E(15°) E(20°) E(25°)	3062 1426
1.5	0.69	E(0°) E(10°) E(15°) E(20°) E(25°)	1398 633
2.0	0.92	E(0°) E(10°) E(15°) E(20°) E(25°)	763 356
2.5	1.15	E(0°) E(10°) E(15°) E(20°) E(25°)	486 226
3.0	1.37	E(0°) E(10°) E(15°) E(20°) E(25°)	339 156

Distance [m] Cone diameter [m] Illuminance [lx]

— C0 - C180 (Half beam angle: 25.3°)



TECHNICAL DRAWINGS

